

Anthony Sellner, P.E.
Redwood County Engineer
1820 East Bridge Street /P.O. Box 6
Redwood Falls, MN 56283
Phone: (507) 637-4056 Fax: (507) 637-4068



ADA Transition Plan

Redwood County Highway Department

October 18, 2022

Paula Olson
Accountant
Paula_o@co.redwood.mn.us

Robin Kokesch
Administrative Assistant
Robin_k@co.redwood.mn.us

The Americans with Disabilities Act (ADA), enacted July 26, 1990, is a civil rights law prohibiting discrimination against individuals on the basis of disability. ADA consists of five titles, outlining protections in the following areas:

1. Employment
2. Miscellaneous Provisions
3. Public Accommodations
4. State and Local Government Services
5. Telecommunications

Redwood County must meet these general requirements for individuals with disabilities:

1. Access to all public programs and places
2. Modification of policies that deny equal access
3. Effective communication procedures
4. An ADA Coordinator that coordinates ADA compliance
5. Public notice of ADA requirements
6. Grievance procedure for resolution of complaints

As required by Title II of ADA, 28 CFR, Part 35, Section 35.105 and Section 35.150, Redwood County has developed the following ADA Transition Plan for its county roads, bridges and right-of-way. This transition plan details how Redwood County will work to ensure all its county roads, bridges and right-of-ways are accessible to all individuals. The plan contained herein relates only to the County's roads, bridges, and right-of-ways and does not include other County programs, practices, or building facilities not related to public rights of way. As such, when this document makes reference to "County owned facilities" or "County programs, services, and activities" it shall only apply to the County's roads, bridges, and right-of-ways.

A systematic approach to providing accessibility will be taken in order to responsibly complete reconstruction of public facilities within County road right-of-way in order to comply with ADA requirements. The County will make all reasonable modifications to policies and programs to ensure that people with disabilities have an equal opportunity to enjoy all of its' programs, services and activities. ADA does not require the County to take any action that would fundamentally alter the nature of its programs or services, or impose an undue financial or administrative burden. Redwood County's goal is to provide ADA accessible pedestrian design features as part of the County's road and bridge reconstruction projects.

1. The Redwood County Highway Department has identified physical obstacles in its facilities that limit the accessibility of its programs or activities to individuals with disabilities. In 2017 the Highway Department conducted a self-evaluation and surveyed all of all of its' 544 intersection quadrants and pedestrian ramps within population centers and which could contain pedestrian facilities. At that time the Highway Department noted 528 quadrants that either did not have pedestrian facilities or were non-compliant, including not having a curb ramp, drainage issues, missing truncated domes, out of tolerance slope, cracked joints or disconnected sidewalk. From 2017 to 2022, the Highway Department has made improvements to 112 intersection quadrants and thousands of lineal feet of sidewalks, improving 20% of all facilities.

2. The Redwood County Highway Department will continue to reconstruct out of compliance curb ramps and pedestrian facilities within its right-of-way during future, programmed road and bridge reconstruction projects. ADA improvements on any County road rehabilitation or resurfacing project will be addressed on a case-by-case basis. ADA improvements requested by the public will be evaluated by County staff. Evaluation criteria will include pedestrian volumes, traffic volumes, condition of existing infrastructure, public safety and available funding.

Redwood County intends to construct or upgrade curb ramps, sidewalks and trails to achieve compliance. There may be limitations which make it technically infeasible for a facility to achieve full accessibility within the scope of any project. Those limitations will be noted and the facility will remain on the transition plan. As future reconstruction projects or funding opportunities arise, those facilities will continue to be incorporated into future work. Regardless of whether full compliance can be achieved or not, each facility shall be made as compliant as possible to industry standards in accordance with the professional judgement of County staff.

Financing of the pedestrian facility reconstruction will be through local funds, State Aid construction funding, federal funding, and through local City and Tribal partners per existing maintenance and construction agreements, or future agreements if new terms are agreed upon at a later date.

The timing and schedule of future reconstruction projects is outlined in the current Redwood County Highway Department Five Year Plan. The Five Year Plan is updated regularly and lists the projects the Department intends on completing in the next five years. The plan is intended to be flexible, recognizing road and bridge priorities may shift due to rapid changes in highway and bridge conditions, public input, goals, priorities and budget constraints. County roads identified for reconstruction in the Five Year Plan will be ADA compliant at the completion of the plan. Reconstruction projects completed within the last five years include county road work in the cities of Redwood Falls, Morgan and Clements. After 20 years, Redwood County will be 45 percent compliant, after reconstruction in Belview, Vesta and another community yet to be selected based on age and condition of existing infrastructure. Approximately one municipal county road reconstruction project occurs every five years in Redwood County based on available funding.

3. The Redwood County Highway Engineer is the official responsible for implementation of this plan.

Contact Information:

ADA Title II Coordinator and Public Right of Ways ADA Implementation Coordinator
C/O Redwood County Highway Engineer
Address: 1820 East Bridge Street, Redwood Falls MN 56283
Phone: 507-637-4056
Fax: 507-637-4068
Email: rcdh@co.redwood.mn.us

Cost Information:

Construction costs for upgrading facilities can vary depending on each individual improvement and conditions of each site. Costs can also vary on the type and size of the project the improvements are associated with. The 2022 construction cost for a single typical pedestrian ramp reconstruction is \$4,452, which includes curb and gutter, 6" thick concrete walk, excavation, aggregate base, truncated domes, seeding, fertilizer, erosion control blanket, mobilization and traffic control. The estimated cost to complete all remaining intersection quadrants in Redwood County is \$1,852,021. This cost does not include replacement of non-compliant sidewalks and trails.

Public Outreach:

A Public Hearing to receive public comment on the ADA Transition Plan was held at 8:30 am on October 18, 2022 at the Redwood County Board Meeting in Redwood Falls. Advertisements for the public meeting were published in local papers prior to the meeting and the hearing date was set at the September 20, 2022 Redwood County Board Meeting. The Redwood County Highway Engineer additionally held three County Board workshops on January 19, 2021, April 13, 2021 and on June 15, 2021 and held Public Hearings at four City Councils meetings on May 3, 2021 (Lucan), May 11, 2021 (Belview), June 7, 2021 (Clements) and on June 14, 2021 (Walnut Grove). Advance notice of these seven meetings were published in local papers prior to the meeting dates.

Complaints that a program, service or activity of Redwood County is not accessible to persons with disabilities should be directed to the Redwood County Engineer, or reported online at rhd@co.redwod.mn.us.

Appendices:

Appendix A: Redwood County Public Notice

Appendix B: Redwood County Grievance Procedure under the Americans with Disabilities Act

Appendix C: Redwood County ADA Grievance Form

Appendix D: Self Evaluation - Redwood County Pedestrian Facility ADA Compliance Survey

Appendix A – Redwood County ADA Public Notice

As part of the ADA requirements the County has posted the following notice outlining its ADA requirements:

In accordance with the requirements of Title II of the Americans with Disabilities Act of 1990, Redwood County will not discriminate against qualified individuals with disabilities on the basis of disability in County's services, programs, or activities.

Employment: The County does not discriminate on the basis of disability in its hiring or employment practices and complies with all regulations promulgated by the U.S. Equal Employment Opportunity Commission under Title I of the Americans with Disabilities Act (ADA). The County's Personnel Policy governs employment-related complaints of disability discrimination.

Effective Communication: The County will generally, upon request, provide appropriate aids and services leading to effective communication for qualified persons with disabilities so they can participate equally in the County's programs, services, and activities, including qualified sign language interpreters, documents in Braille, and other ways of making information and communications accessible to people who have speech, hearing, or vision impairments.

Anyone who requires an auxiliary aid or service for effective communication, or a modification of policies or procedures to participate in a County program, service, or activity, should contact the office of ADA Coordinator, as soon as possible but no later than 48 hours before the scheduled event.

The County will not place a surcharge on a particular individual with a disability or any group of individuals with disabilities to cover the cost of providing auxiliary aids/services or reasonable modifications of policy.

Modifications to Policies and Procedures: The County will make all reasonable modifications to policies and programs to ensure that people with disabilities have an equal opportunity to enjoy all County programs, services, and activities.

The ADA does not require the County to take any action that would fundamentally alter the nature of its programs or services, or impose an undue financial or administrative burden.

Appendix B: Redwood County Grievance Procedure under the Americans with Disabilities Act

Prior to filing a grievance the public is strongly encouraged to contact the Redwood County ADA Coordinator to discuss any concerns regarding County facilities. The ADA Coordinator role is designed to provide a point of contact for the public to address concerns.

This Grievance Procedure is established to meet the requirements of the Americans with Disabilities Act of 1990 ("ADA"). It may be used by anyone who wishes to file a complaint alleging discrimination on the basis of disability in the provision of services, activities, programs, or benefits by the Redwood County Highway Department. The County's Personnel Policy governs employment-related complaints of disability discrimination.

The complaint should be in writing and contain information about the alleged discrimination such as name, address, phone number of complainant and location, date, description of the problem and the nature of a remedy sought, if known by the complainant. If the complainant has filed the same complaint or grievance with the United States Department of Justice (DOJ), another federal or state civil rights agency, a court, or others, the name of the agency or court where the complainant filed it and the filing date should be included. Alternative means of filing complaints, such as personal interviews or a tape recording of the complaint, will be made available for persons with disabilities upon request.

The complaint should be submitted by the grievant and/or his/her designee as soon as possible but no later than 60 calendar days after the alleged violation to:

Redwood County ADA Coordinator
C/O Redwood County Highway Engineer
1820 East Bridge Street, Redwood Falls MN 56283
rchd@co.redwood.mn.us
507-637-4056

Within 60 calendar days after receipt of the complaint, the ADA Coordinator or designee will meet with the complainant to discuss the complaint and the possible resolutions. Within 15 calendar days of the meeting, the ADA Coordinator or designee will respond in writing, and where appropriate, in a format accessible to the complainant, such as large print, Braille, or audio tape. The response will explain the position of the Redwood County Highway Department and offer options for substantive resolution of the complaint.

If the response by the ADA Coordinator or designee does not satisfactorily resolve the issue, the complainant and/or his/her designee may appeal the decision within 15 calendar days after receipt of the response to the County Administrator or his/her designee.

Within 60 calendar days after receipt of the appeal, the County Administrator or his/her designee will meet with the complainant to discuss the complaint and possible resolutions. Within 30 calendar days after the meeting, the County Administrator or his/her designee will respond in writing, and, where appropriate, in a format accessible to the complainant, with a final resolution of the complaint.

All written complaints received by the ADA Coordinator or designee, appeals to the County Administrator or designee, and responses from these two offices will be retained by the County in accordance with state and federal law.

Those wishing to file a formal written grievance with Redwood County may do so by one of the following methods:

Internet Submittal: Visit the Redwood County Highway Department's website at: <https://redwoodcounty-mn.us/departments/highway-department/> and click on the link to the ADA Transition Plan, complete the grievance form in Appendix C and email to rchd@co.redwood.mn.us.

In Person Submittal: Contact the County Highway Engineer at 507-637-4056. The staff person will utilize the Internet method above to submit the grievance on behalf of the person filing the grievance.

Paper Submittal: Contact the Redwood County Highway Department at 507-637-4056 or rchd@co.redwood.mn.us to request a paper copy of the county's grievance form, complete the form, and submit it to the ADA Coordinator at 1820 East Bridge Street, Redwood Falls, MN 56283.

If the grievance filed does not concern a Redwood County facility, the County will inform the complainant of the proper agency that has jurisdiction.

Within 60 calendar days of receipt, a Redwood County staff person will conduct an investigation necessary to determine the validity of the alleged violation. As a part of the investigation, the staff person may conduct an engineering study to help determine the County's response. The staff person will take advantage of department resources and use engineering judgment, data collected, and any information submitted by the resident to develop a conclusion. A staff person will be available to meet with the complainant to discuss the matter as a part of the investigation and resolution of the matter. The County will document each resolution of a filed grievance and retain such documentation in accordance with state and federal law.

The County will consider all specific grievances within its particular context or setting. Furthermore, the County will consider many varying circumstances including: 1) the nature of the access to services, programs, or facilities at issue; 2) the specific nature of the disability; 3) the essential eligibility requirements for participation; 4) the health and safety of others; and 5) the degree to which an accommodation would constitute a fundamental alteration to the program, service, or facility, or cause an undue hardship to Redwood County, and 5) available funding.

Accordingly, the resolution by Redwood County of any one grievance does not constitute a precedent upon which the county is bound or upon which other complaining parties may rely.

File Maintenance: The County shall maintain ADA grievance files in accordance with state and federal law. Complaints of Title II violations may also be filed with the DOJ within 180 days of the date of discrimination. In certain situations, cases may be referred to a mediation program sponsored by the Department of Justice (DOJ). The DOJ may bring a lawsuit where it has investigated a matter and has been unable to resolve violations. For more information, contact: U.S. Department of Justice, Civil Rights Division, 950 Pennsylvania Avenue, N.W. Disability Rights Section - NYAV Washington, D.C. 20530 www.ada.gov, (800) 514-0301 (voice – toll free).

Appendix C: Redwood County ADA Grievance Form

Please fill out this form completely. Sign and return to the ADA Coordinator at 1820 East Bridge Street, Redwood Falls MN 56283 or at rchd@co.redwood.mn.us.

Complainant Name: _____

Complainant Signature: _____ Date: _____

Street Address: _____

City, State and Zip Code: _____

Telephone: _____

Person discriminated against (if other than he complainant): _____

Government which you believe has discriminated (Federal, State, County, City): _____

When was the issue discovered/when did the problem occur: _____

Describe the issue in detail, providing the name(s) where possible of the individuals who have been contacted. Add additional pages if necessary: _____

Have prior efforts been made to resolve this complaint through this grievance procedure? Yes / No

If yes, what is the status of the grievance: _____

Has the complaint been filed with another bureau such as the Department of Justice or any other Federal, State or local civil rights agency or court: _____

If yes, agency or court: _____

Contact Person at agency or court: _____

Contact Information of agency: _____

Telephone number of agency: _____

Date Filed: _____

Do you intend to file with another agency or court: Yes / No

If Yes, agency or court: _____

Contact Information of agency: _____

Tennesen Notice:

Redwood County is asking you to provide information which can include private information under the Minnesota Government Data Practices Act. Redwood County is asking for private information to assist in evaluating and respond to accessibility concerns within the County's roads, bridges, or right-of way. You are not legally required to provide the information that Redwood County is requesting, and you may refuse to provide some or all of the information requested. Redwood County may not be able to respond to or evaluate your request if sufficient information is not provided. Access to private information will be limited to individuals whose jobs reasonably require access to this information.

Appendix D: Self Evaluation - Redwood County Pedestrian Facility ADA Compliance Survey

Self-Evaluation: Redwood County Pedestrian Facility ADA Compliance Survey

Last update: January 26, 2017

| City | Major Street | Minor Street | Quadrant | Deficiency | | | | | | | | |
|---------------|--------------|--------------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|-------------------------------|--------------------|-------------|---|
| | | | | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | Meets Requirements | No Sidewalk | |
| Redwood Falls | CSAH 101 | South Jefferson St | NW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Jefferson St | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Lincoln St | NW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Lincoln St | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Lincoln St | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | South Lincoln St | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | South Halvorson St | NW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Halvorson St | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Halvorson St | SW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Halvorson St | SE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | Southwaite Ct | NW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | Southwaite Ct | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Gould St | NW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Gould St | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | South Gould St | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | South Gould St | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Sunrise Blvd | NW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Sunrise Blvd | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Sunrise Blvd | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Sunrise Blvd | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Covington Dr | NW | X | | | | | Sidewalk on Bridge | | | |
| Redwood Falls | CSAH 101 | Covington Dr | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Covington Dr | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Covington Dr | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East Meadow Ln | NW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East Meadow Ln | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East Meadow Ln | SW | X | | | | | Sidewalk on Bridge | | | |
| Redwood Falls | CSAH 101 | East Meadow Ln | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Cook St | NW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Cook St | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Cook St | SW | X | | | | | Ped X-ing No C&G | | | X |
| Redwood Falls | CSAH 101 | Cook St | SE | X | | | | | Ped X-ing No C&G | | | X |
| Redwood Falls | CSAH 101 | Fallwood Dr | NW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Fallwood Dr | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Fallwood Dr | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Fallwood Dr | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East 2nd St | NW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East 2nd St | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East 2nd St | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | East 2nd St | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Industrial Dr | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Industrial Dr | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Northwood Dr | NW | | | | | | Check slopes TD inplace Trail | | | |
| Redwood Falls | CSAH 101 | Northwood Dr | NE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Northwood Dr | SW | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Northwood Dr | SE | X | | | | | No C&G | | | X |
| Redwood Falls | CSAH 101 | Ponderosa Rd | NE | X | | | | | No C&G | | | X |

| | | | | Deficiency | | | | | | | | |
|---------------|--------------|-----------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|--------------|-------------------------------|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Redwood Falls | CSAH 101 | Ponderosa Rd | SE | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Activaidd Rd | NW | | | | | | | Check slopes TD inplace Trail | | |
| Redwood Falls | CSAH 101 | Activaidd Rd | SW | | | | | | | Check slopes TD inplace Trail | | |
| Redwood Falls | CSAH 101 | Burr Oak Rd | NE | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Burr Oak Rd | SE | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Main St South | NW | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Main St South | SW | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | East Front St | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | East Front St | SE | X | | | | | | Bait Shop | | X |
| Redwood Falls | CSAH 101 | Main St North | NW | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | Main St North | NE | X | | | | | | | | X |
| Redwood Falls | CSAH 101 | Woodland Ln | SW | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Woodland Ln | SE | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Cedarcliff Rd | NW | X | | | | | | No C&G | | X |
| Redwood Falls | CSAH 101 | Cedarcliff Rd | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | East St | NW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | East St | NE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | East St | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | East St | SE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | First St | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | First St | SE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | Second St | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | Second St | SE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | CSAH 109 | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | CSAH 109 | SE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | Fourth St | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | Fourth St | SE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | CSAH 6 | NW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | CSAH 6 | NE | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | CSAH 6 | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 9 | CSAH 6 | SE | X | | | | | | C&G South only | | X |
| Delhi | CSAH 6 | Vanderburg Ave | NE | X | | | | | | | | X |
| Delhi | CSAH 6 | Vanderburg Ave | SE | X | | | | | | | | X |
| Delhi | CSAH 109 | Vanderburg Ave | NW | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Vanderburg Ave | NE | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Vanderburg Ave | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Vanderburg Ave | SE | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Franklin Ave | NW | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Franklin Ave | NE | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Franklin Ave | SW | X | | | | | | No C&G | | X |
| Delhi | CSAH 109 | Franklin Ave | SE | X | | | | | | No C&G | | X |
| Belview | CSAH 9 | South Second St | NW | X | | | | | | C&G North | | X |
| Belview | CSAH 9 | South Second St | NE | X | | | | | | C&G North | | X |
| Belview | CSAH 7 | CSAH 9 | NE | X | | | | | | No C&G | | X |
| Belview | CSAH 7 | CSAH 9 | SE | X | | | | | | No C&G | | X |
| Belview | CSAH 7 | Oak Ave | NE | X | | | | | | No C&G | | X |
| Belview | CSAH 7 | Oak Ave | SE | X | | | | | | No C&G | | X |
| Belview | CSAH 7 | Marion Ave | NW | X | | | | | | | | X |
| Belview | CSAH 7 | Marion Ave | NE | X | | | | | | | | X |
| Belview | CSAH 7 | Marion Ave | SW | X | | | | | | | | X |

| | | | | Deficiency | | | | | | | | |
|---------|--------------|----------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|-----------------------|--|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Belview | CSAH 7 | Marion Ave | SE | X | | | | | | | | X |
| Belview | CSAH 7 | South Olaf St | NW | | | X | | | | | | |
| Belview | CSAH 7 | South Olaf St | NE | | | X | | | | | | |
| Belview | CSAH 7 | South Olaf St | SW | | | X | | | | | | |
| Belview | CSAH 7 | South Olaf St | SE | | | X | | | | | | |
| Belview | CSAH 7 | West Second St | NW | | | X | | | | | | |
| Belview | CSAH 7 | West Second St | NE | | | X | | | | | | |
| Belview | CSAH 7 | West Second St | SW | | | X | | | Sidewalk South Only | | | |
| Belview | CSAH 7 | West Second St | SE | X | | | | | | | | |
| Belview | CSAH 7 | Hibbard St | NW | | | X | | | | | | |
| Belview | CSAH 7 | Hibbard St | NE | | | X | | | | | | |
| Belview | CSAH 7 | Hibbard St | SW | | | X | | | | | | |
| Belview | CSAH 7 | Hibbard St | SE | | | X | | | Light Pole in Ramp | | | |
| Belview | CSAH 7 | Elevator Ave | NW | | | X | | | | | | |
| Belview | CSAH 7 | Elevator Ave | NE | X | | | | | | | | X |
| Belview | CSAH 7 | Elevator Ave | SW | | | X | | | | | | |
| Belview | CSAH 7 | Elevator Ave | SE | | | X | | | | | | |
| Vesta | CSAH 10 | CSAH 30 | NW | X | | | | | Sidewalk Short of C&G | | | |
| Vesta | CSAH 10 | CSAH 30 | NE | X | | | | | No C&G | | | |
| Vesta | CSAH 10 | CSAH 30 | SW | X | | | | | | | | |
| Vesta | CSAH 10 | CSAH 30 | SE | X | | | | | | | | X |
| Vesta | CSAH 10 | East Front St | NW | X | | | | | | | | X |
| Vesta | CSAH 10 | East Front St | SW | X | | | | | | | | X |
| Vesta | CSAH 10 | East South St | NW | X | | | | | C&G North Only | | | X |
| Vesta | CSAH 10 | East South St | SW | X | | | | | C&G South Only | | | X |
| Vesta | CSAH 10 | East High St | NW | X | | | | | C&G North Only | | | X |
| Vesta | CSAH 10 | East High St | SW | X | | | | | No C&G | | | |
| Vesta | CSAH 30 | Pine St | NW | X | | | | | | | | X |
| Vesta | CSAH 30 | Pine St | NE | X | | | | | | | | X |
| Vesta | CSAH 30 | Pine St | SW | X | | | | | | | | X |
| Vesta | CSAH 30 | Pine St | SE | X | | | | | | | | X |
| Vesta | CSAH 30 | Elm St | NW | X | | | | | | | | X |
| Vesta | CSAH 30 | Elm St | NE | X | | | | | | | | X |
| Vesta | CSAH 30 | Elm St | SW | X | | | | | | | | X |
| Vesta | CSAH 30 | Elm St | SE | X | | | | | Sidewalk East | | | |
| Vesta | CSAH 30 | Broadway St | NW | X | | | | | Sidewalk North Only | | | |
| Vesta | CSAH 30 | Broadway St | NE | | | X | | | | | | |
| Vesta | CSAH 30 | Broadway St | SW | | | X | | | | | | |
| Vesta | CSAH 30 | Broadway St | SE | | | X | | | | | | |
| Vesta | CSAH 30 | Oak St | NW | X | | | | | | | | |
| Vesta | CSAH 30 | Oak St | NE | | | X | | | | | | |
| Vesta | CSAH 30 | Oak St | SW | X | | | | | | | | |
| Vesta | CSAH 30 | Oak St | SE | | | X | | | | | | |
| Vesta | CSAH 30 | East St | NW | X | | | | | Sidewalk West Only | | | |
| Vesta | CSAH 30 | East St | NE | X | | | | | Sidewalk East Only | | | |
| Vesta | CSAH 30 | East St | SW | X | | | | | | | | |
| Vesta | CSAH 30 | East St | SE | X | | | | | | | | X |
| Morgan | CSAH 2 | Second St | NE | X | | | | | | | | |
| Morgan | CSAH 2 | Second St | SE | X | | | | | | | | X |
| Morgan | CSAH 2 | Third St West | NW | X | | | | | | | | |

| | | | | Deficiency | | | | | | | | |
|--------|--------------|---------------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|--------------|-----------------------|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Morgan | CSAH 2 | Third St West | NE | X | | | | | | | | |
| Morgan | CSAH 2 | Third St West | SW | X | | | | | | | | X |
| Morgan | CSAH 2 | Third St West | SE | X | | | | | | Sidewalk South Only | | |
| Morgan | CSAH 2 | Fourth St West | NE | X | | | | | | Sidewalk East Only | | |
| Morgan | CSAH 2 | Fourth St West | SE | X | | | | | | Sidewalk South Only | | |
| Morgan | CSAH 2 | St Johns St | NW | X | | | | | | | | X |
| Morgan | CSAH 2 | St Johns St | NE | X | | | | | | No C&G | | X |
| Morgan | CSAH 2 | St Johns St | SW | | | X | | | | | | |
| Morgan | CSAH 2 | St Johns St | SE | X | | | | | | Sidewalk East Only | | |
| Morgan | CSAH 2 | Sherman St West | NW | X | | | | | | | | |
| Morgan | CSAH 2 | Sherman St West | NE | X | | | | | | No C&G | | X |
| Morgan | CSAH 2 | Sherman St West | SW | X | | | | | | | | |
| Morgan | CSAH 2 | Sherman St West | SE | X | | | | | | No C&G | | X |
| Morgan | CSAH 2 | Reetz St West | NW | X | | | | | | No C&G | | X |
| Morgan | CSAH 2 | Reetz St West | SW | X | | | | | | | | |
| Morgan | CSAH 102 | Cleveland Ave South | NW | X | | | | | | | | |
| Morgan | CSAH 102 | Cleveland Ave South | NE | | | X | | | | | | |
| Morgan | CSAH 102 | Cleveland Ave South | SW | | | X | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Cleveland Ave South | SE | X | | | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Vernon Ave South | NW | X | | | | | | | | |
| Morgan | CSAH 102 | Vernon Ave South | NE | | | X | | | | Ramp on North SW Only | | |
| Morgan | CSAH 102 | Vernon Ave South | SW | | | X | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Vernon Ave South | SE | | | X | | | | CR on South Only | | |
| Morgan | CSAH 102 | Bloomington Ave | NW | X | | | | | | | | |
| Morgan | CSAH 102 | Bloomington Ave | NE | X | | | | | | | | |
| Morgan | CSAH 102 | Bloomington Ave | SW | | | X | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Bloomington Ave | SE | X | | | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Sommerville Ave | NW | | | X | | | | | | |
| Morgan | CSAH 102 | Sommerville Ave | NE | | | X | | | | Ramp on Corner | | |
| Morgan | CSAH 102 | Sommerville Ave | SW | | | X | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Sommerville Ave | SE | | | X | | | | Sidewalk South Only | | |
| Morgan | CSAH 102 | Lindsey Ave North | NW | X | | | | | | | | X |
| Morgan | CSAH 102 | Lindsey Ave North | NE | X | | | | | | | | X |
| Morgan | CSAH 102 | Lindsey Ave North | SW | X | | | | | | Sidewalk West Only | | |
| Morgan | CSAH 102 | Lindsey Ave North | SE | X | | | | | | Sidewalk East Only | | |
| Morgan | CSAH 102 | CSAH 3 | NW | X | | | | | | No C&G | | X |
| Morgan | CSAH 102 | CSAH 3 | NE | X | | | | | | No C&G | | X |
| Morgan | CSAH 102 | CSAH 3 | SW | X | | | | | | No C&G | | X |
| Morgan | CSAH 102 | CSAH 3 | SE | X | | | | | | No C&G | | X |
| Morgan | CSAH 3 | Second St East | NW | X | | | | | | C&G West only | | X |
| Morgan | CSAH 3 | Second St East | NE | X | | | | | | C&G West only | | X |
| Morgan | CSAH 3 | Eastwood Ave | SW | X | | | | | | C&G South Only | | X |
| Morgan | CSAH 3 | Eastwood Ave | SE | X | | | | | | C&G South Only | | X |
| Morgan | CSAH 2 | Morgan St | NW | X | | | | | | | | X |
| Morgan | CSAH 2 | Morgan St | NE | X | | | | | | | | X |
| Morgan | CSAH 2 | Morgan St | SW | X | | | | | | | | X |
| Morgan | CSAH 2 | Morgan St | SE | X | | | | | | | | X |
| Morgan | CSAH 2 | Adams St | NW | X | | | | | | SW North and South | | |
| Morgan | CSAH 2 | Adams St | NE | X | | | | | | | | X |
| Morgan | CSAH 2 | Adams St | SW | X | | | | | | SW North and South | | |

| | | | | Deficiency | | | | | | | | |
|----------|--------------|--------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|---------------------|--|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Morgan | CSAH 2 | Adams St | SE | X | | | | | | | | X |
| Morgan | CSAH 2 | Temple Dr | NE | X | | | | | Curb North | | | X |
| Morgan | CSAH 2 | Temple Dr | SE | X | | | | | No C&G | | | X |
| Clements | CSAH 16 | Ash St | SW | X | | | | | C&G South Only | | | X |
| Clements | CSAH 16 | Ash St | SE | X | | | | | C&G South Only | | | X |
| Clements | CSAH 16 | CSAH 1 West | NW | X | | | | | No C&G | | | X |
| Clements | CSAH 16 | CSAH 1 West | NE | X | | | | | No C&G | | | X |
| Clements | CSAH 16 | CSAH 1 West | SW | X | | | | | No C&G | | | X |
| Clements | CSAH 16 | CSAH 1 West | SE | X | | | | | No C&G | | | X |
| Clements | CSAH 16 | Elm St | SW | X | | | | | C&G South Only | | | |
| Clements | CSAH 16 | Elm St | SE | X | | | | | C&G South Only | | | X |
| Clements | CSAH 16 | CSAH 1 East | SW | X | | | | | C&G South Only | | | X |
| Clements | CSAH 16 | CSAH 1 East | SE | X | | | | | C&G South Only | | | X |
| Clements | CSAH 16 | Oak St | SW | X | | | | | C&G South Only | | | X |
| Clements | CSAH 16 | Oak St | SE | X | | | | | C&G South Only | | | X |
| Clements | CSAH 1 | Third St | NW | X | | | | | Sidewalk North Only | | | |
| Clements | CSAH 1 | Third St | NE | X | | | | | Sidewalk East Only | | | |
| Clements | CSAH 1 | Third St | SW | | | X | | | Sidewalk South Only | | | |
| Clements | CSAH 1 | Third St | SE | X | | | | | Sidewalk South Only | | | |
| Clements | CSAH 1 | Second St | NW | X | | | | | | | | |
| Clements | CSAH 1 | Second St | NE | X | | | | | | | | |
| Clements | CSAH 1 | Second St | SW | | | X | | | Sidewalk South Only | | | |
| Clements | CSAH 1 | Second St | SE | X | | | | | | | | |
| Clements | CSAH 1 | Pine St | NW | X | | | | | | | | |
| Clements | CSAH 1 | Pine St | NE | X | | | | | Sidewalk North Only | | | |
| Clements | CSAH 1 | Pine St | SW | | | X | | | | | | |
| Clements | CSAH 1 | Pine St | SE | | | X | | | Sidewalk South Only | | | |
| Clements | CSAH 1 | Front St | NW | X | | | | | | | | |
| Clements | CSAH 1 | Front St | NE | | | X | | | | | | |
| Clements | CSAH 1 | Front St | SW | X | | | | | No C&G | | | X |
| Clements | CSAH 1 | Front St | SE | X | | | | | No C&G | | | X |
| Clements | CSAH 1 | South St | NW | X | | | | | No C&G | | | X |
| Clements | CSAH 1 | South St | NE | X | | | | | No C&G | | | X |
| Clements | CR 63 | Front St | NE | X | | | | | No C&G | | | X |
| Clements | CR 63 | Front St | SE | X | | | | | No C&G | | | X |
| Clements | CR 63 | Second St | NE | X | | | | | No C&G | | | X |
| Clements | CR 63 | Second St | SE | X | | | | | No C&G | | | X |
| Clements | CR 63 | Third St | NE | X | | | | | No C&G | | | X |
| Clements | CR 63 | Third St | SE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | 295th St | NW | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | 295th St | NE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | 295th St | SW | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | 295th St | SE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | CSAH 107 | NW | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | CSAH 107 | NE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | CSAH 107 | SW | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | CSAH 107 | SE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | Elm St | NW | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | Elm St | NE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 7 | Elm St | SW | X | | | | | No C&G | | | X |

| | | | | Deficiency | | | | | | | | |
|----------|--------------|---------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|-----------------------|--|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Seaforth | CSAH 7 | Elm St | SE | X | | | | | No C&G | | | X |
| Seaforth | CSAH 107 | Main St | NW | X | | | | | | | | |
| Seaforth | CSAH 107 | Main St | NE | X | | | | | | | | |
| Seaforth | CSAH 107 | Main St | SW | X | | | | | | | | |
| Seaforth | CSAH 107 | Main St | SE | X | | | | | No C&G | | | |
| Seaforth | CSAH 107 | Dewey St | NW | X | | | | | C&G and SW West Only | | | |
| Seaforth | CSAH 107 | Dewey St | NE | X | | | | | C&G East Only | | | |
| Seaforth | CSAH 107 | Dewey St | SW | X | | | | | C&G West Only | | | X |
| Seaforth | CSAH 107 | Dewey St | SE | X | | | | | C&G East Only | | | |
| Lucan | CSAH 10 | 250th St | NW | X | | | | | No C&G | | | X |
| Lucan | CSAH 10 | 250th St | NE | X | | | | | No C&G | | | X |
| Lucan | CSAH 10 | 250th St | SW | X | | | | | No C&G | | | X |
| Lucan | CSAH 10 | 250th St | SE | X | | | | | No C&G | | | X |
| Lucan | CSAH 10 | North St | NW | X | | | | | C&G North/South Only | | | X |
| Lucan | CSAH 10 | North St | NE | X | | | | | C&G North/South Only | | | X |
| Lucan | CSAH 10 | North St | SW | X | | | | | C&G North/South Only | | | X |
| Lucan | CSAH 10 | North St | SE | X | | | | | C&G North/South Only | | | X |
| Lucan | CSAH 10 | First St | NW | X | | | | | C&G North Only | | | X |
| Lucan | CSAH 10 | First St | NE | X | | | | | C&G North Only | | | X |
| Lucan | CSAH 10 | First St | SW | | | X | | | C&G and SW South Only | | | |
| Lucan | CSAH 10 | First St | SE | | | X | | | C&G and SW South Only | | | |
| Lucan | CSAH 10 | 2nd St | NW | | | X | | | | | | |
| Lucan | CSAH 10 | 2nd St | NE | | | X | | | | | | |
| Lucan | CSAH 10 | 2nd St | SW | | | X | | | | | | |
| Lucan | CSAH 10 | 2nd St | SE | | | X | | | | | | |
| Lucan | CSAH 10 | Third St | NW | | | X | | | SW North Only | | | |
| Lucan | CSAH 10 | Third St | NE | | | X | | | C&G and SW North Only | | | |
| Lucan | CSAH 10 | Third St | SW | X | | | | | | | | X |
| Lucan | CSAH 10 | Third St | SE | X | | | | | | | | X |
| Lucan | CSAH 10 | Fourth St | NW | X | | | | | | | | X |
| Lucan | CSAH 10 | Fourth St | NE | X | | | | | | | | X |
| Lucan | CSAH 10 | Fourth St | SW | X | | | | | | | | X |
| Lucan | CSAH 10 | Fourth St | SE | X | | | | | | | | X |
| Revere | CSAH 127 | Cottonwood St | NW | X | | | | | | | | X |
| Revere | CSAH 127 | Cottonwood St | NE | X | | | | | | | | X |
| Revere | CSAH 127 | Cottonwood St | SW | X | | | | | | | | X |
| Revere | CSAH 127 | Cottonwood St | SE | X | | | | | | | | X |
| Revere | CSAH 127 | Main St | NW | X | | | | | C&G West Only | | | X |
| Revere | CSAH 127 | Main St | NE | X | | | | | C&G East Only | | | X |
| Revere | CSAH 127 | Main St | SW | X | | | | | SW South Only | | | |
| Revere | CSAH 127 | Main St | SE | X | | | | | SW South Only | | | |
| Revere | CR 50 | Oak St | NW | X | | | | | C&G West Only | | | X |
| Revere | CR 50 | Oak St | NE | X | | | | | No C&G | | | X |
| Revere | CR 50 | Oak St | SW | X | | | | | No C&G | | | X |
| Revere | CR 50 | Oak St | SE | X | | | | | No C&G | | | X |
| Sanborn | CSAH 115 | John St | NW | X | | | | | No C&G | | | X |
| Sanborn | CSAH 115 | John St | NE | X | | | | | No C&G | | | X |
| Sanborn | CSAH 115 | John St | SW | X | | | | | C&G South Only | | | X |
| Sanborn | CSAH 115 | John St | SE | X | | | | | | | | X |
| Sanborn | CSAH 115 | Yaeger St | NW | X | | | | | | | | X |

| | | | | Deficiency | | | | | | | | |
|---------|--------------|--------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|-------------------------|--|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Sanborn | CSAH 115 | Yaeger St | NE | X | | | | | | | | X |
| Sanborn | CSAH 115 | Yaeger St | SW | X | | | | | | | | X |
| Sanborn | CSAH 115 | Yaeger St | SE | X | | | | | | | | X |
| Sanborn | CSAH 115 | Letford St | NW | X | | | | | | | | X |
| Sanborn | CSAH 115 | Letford St | NE | X | | | | | SW North and South Only | | | |
| Sanborn | CSAH 115 | Letford St | SW | X | | | | | | | | |
| Sanborn | CSAH 115 | Letford St | SE | X | | | | | SW North and South Only | | | |
| Sanborn | CSAH 15 | Public St | NW | X | | | | | | | | |
| Sanborn | CSAH 15 | Public St | NE | X | | | | | C&G West Only | | | |
| Sanborn | CSAH 15 | Public St | SW | X | | | | | SW Not to Curb | | | |
| Sanborn | CSAH 15 | Public St | SE | X | | | | | No C&G | | | |
| Sanborn | CSAH 15 | Orchard St | NW | X | | | | | | | | |
| Sanborn | CSAH 15 | Orchard St | NE | X | | | | | | | | |
| Sanborn | CSAH 15 | Orchard St | SW | | | | X | | | | | |
| Sanborn | CSAH 15 | Orchard St | SE | | | | X | | | | | |
| Sanborn | CSAH 15 | Hoyt St | NW | | | | X | | SW East and West Only | | | |
| Sanborn | CSAH 15 | Hoyt St | NE | | | | X | | SW East and West Only | | | |
| Sanborn | CSAH 15 | Hoyt St | SW | | | | X | | SW East and West Only | | | |
| Sanborn | CSAH 15 | Hoyt St | SE | | | | X | | SW East and West Only | | | |
| Sanborn | CSAH 15 | CSAH 115 | NW | | | X | | | | | | |
| Sanborn | CSAH 15 | CSAH 115 | NE | | | | X | | | | | |
| Sanborn | CSAH 15 | CSAH 115 | SW | | | X | | | | | | |
| Sanborn | CSAH 15 | CSAH 115 | SE | | | X | | | | | | |
| Sanborn | CSAH 15 | Dotson St | NW | X | | | | | | | | X |
| Sanborn | CSAH 15 | Dotson St | NE | X | | | | | | | | X |
| Sanborn | CSAH 15 | Dotson St | SW | | | X | | | SW West Only | | | |
| Sanborn | CSAH 15 | Dotson St | SE | | | X | | | SW East Only | | | |
| Sanborn | CSAH 15 | Park St | NW | | | | X | | SW North Only | | | |
| Sanborn | CSAH 15 | Park St | NE | X | | | | | | | | |
| Sanborn | CSAH 15 | Park St | SW | | | X | | | | | | |
| Sanborn | CSAH 15 | Park St | SE | | | | X | | | | | |
| Sanborn | CSAH 15 | West St | NW | | | | X | | SW North Only | | | |
| Sanborn | CSAH 15 | West St | NE | X | | | | | | | | X |
| Sanborn | CSAH 15 | West St | SW | | | | X | | | | | |
| Sanborn | CSAH 15 | West St | SE | | | | X | | SW East Only | | | |
| Sanborn | CSAH 15 | Unknown | NW | X | | | | | | | | X |
| Sanborn | CSAH 15 | Unknown | NE | X | | | | | | | | X |
| Sanborn | CSAH 15 | Unknown | SW | X | | | | | SW West Only | | | |
| Sanborn | CSAH 15 | Unknown | SE | X | | | | | SW East Only | | | |
| Wanda | CSAH 17 | CSAH 117 | NW | | | X | | | SW West Only | | | |
| Wanda | CSAH 17 | CSAH 117 | NE | X | | | | | No C&G | | | X |
| Wanda | CSAH 17 | CSAH 117 | SW | | | X | | | SW West Only | | | |
| Wanda | CSAH 17 | CSAH 117 | SE | X | | | | | No C&G | | | X |
| Wanda | CSAH 117 | Oak | NW | | | X | | | SW West Only | | | |
| Wanda | CSAH 117 | Oak | NE | | | X | | | | | | |
| Wanda | CSAH 117 | Oak | SW | | | X | | | | | | |
| Wanda | CSAH 117 | Oak | SE | | | X | | | | | | |
| Wanda | CSAH 17 | South St | NW | X | | | | | No C&G | | | X |
| Wanda | CSAH 17 | South St | NE | X | | | | | No C&G | | | X |
| Wanda | CSAH 17 | South St | SW | X | | | | | No C&G | | | X |

| | | | | Deficiency | | | | | | | | |
|-----------|--------------|------------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|----------------|--|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Wanda | CSAH 17 | South St | SE | X | | | | | No C&G | | | X |
| Lamberton | CSAH 6 | CSAH 106 | NW | X | | | | | | | | X |
| Lamberton | CSAH 6 | CSAH 106 | NE | X | | | | | | | | X |
| Lamberton | CSAH 6 | CSAH 106 | SW | X | | | | | | | | X |
| Lamberton | CSAH 6 | CSAH 106 | SE | X | | | | | | | | X |
| Lamberton | CSAH 6 | 2nd Ave West | NW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 2nd Ave West | NE | X | | | | | | | | X |
| Lamberton | CSAH 6 | 2nd Ave West | SW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 2nd Ave West | SE | X | | | | | | | | X |
| Lamberton | CSAH 6 | 3rd Ave West | NW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 3rd Ave West | NE | X | | | | | SW East Only | | | |
| Lamberton | CSAH 6 | 3rd Ave West | SW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 3rd Ave West | SE | X | | | | | SW West Only | | | |
| Lamberton | CSAH 6 | 4th Ave West | NW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 4th Ave West | NE | X | | | | | SW East Only | | | |
| Lamberton | CSAH 6 | 4th Ave West | SW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 4th Ave West | SE | X | | | | | SW East Only | | | |
| Lamberton | CSAH 6 | 5th Ave West | NW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 5th Ave West | NE | X | | | | | | | | X |
| Lamberton | CSAH 6 | 5th Ave West | SW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 5th Ave West | SE | X | | | | | | | | X |
| Lamberton | CSAH 6 | 6th Ave West | NW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 6th Ave West | NE | X | | | | | | | | X |
| Lamberton | CSAH 6 | 6th Ave West | SW | X | | | | | | | | X |
| Lamberton | CSAH 6 | 6th Ave West | SE | X | | | | | | | | X |
| Lamberton | CSAH 6 | CSAH 15 | NW | X | | | | | C&G North Only | | | X |
| Lamberton | CSAH 6 | CSAH 15 | NE | X | | | | | | | | X |
| Lamberton | CSAH 6 | CSAH 15 | SW | X | | | | | No C&G | | | X |
| Lamberton | CSAH 6 | CSAH 15 | SE | X | | | | | No C&G | | | X |
| Lamberton | CSAH 15 | South Fir St | NW | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Fir St | NE | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Fir St | SW | X | | | | | No C&G | | | X |
| Lamberton | CSAH 15 | South Fir St | SE | X | | | | | No C&G | | | X |
| Lamberton | CSAH 15 | South Elm St | NW | X | | | | | SW Not to Curb | | | X |
| Lamberton | CSAH 15 | South Elm St | NE | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Elm St | SW | X | | | | | No C&G | | | X |
| Lamberton | CSAH 15 | South Elm St | SE | X | | | | | No C&G | | | X |
| Lamberton | CSAH 15 | South Douglas St | NW | X | | | | | SW Not to Curb | | | X |
| Lamberton | CSAH 15 | South Douglas St | NE | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Douglas St | SW | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Douglas St | SE | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Cherry St | NW | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Cherry St | NE | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Cherry St | SW | X | | | | | | | | X |
| Lamberton | CSAH 15 | South Cherry St | SE | X | | | | | | | | X |
| Lamberton | CSAH 15 | CSAH 106 | NW | X | | | | | | | | X |
| Lamberton | CSAH 15 | CSAH 106 | NE | X | | | | | | | | X |
| Lamberton | CSAH 15 | CSAH 106 | SW | X | | | | | | | | X |
| Lamberton | CSAH 15 | CSAH 106 | SE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 8th Ave East | NW | X | | | | | SW North Only | | | |

| | | | | Deficiency | | | | | | | | |
|-----------|--------------|------------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|-------------------------|--|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Lamberton | CSAH 106 | 8th Ave East | NE | X | | | | | SW North and South Only | | | |
| Lamberton | CSAH 106 | 8th Ave East | SW | X | | | | | | | | X |
| Lamberton | CSAH 106 | 8th Ave East | SE | X | | | | | SW North and South Only | | | |
| Lamberton | CSAH 106 | 7th Ave East | NW | X | | | | | | | | |
| Lamberton | CSAH 106 | 7th Ave East | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 7th Ave East | SW | X | | | | | SW South Only | | | |
| Lamberton | CSAH 106 | 7th Ave East | SE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 6th Ave East | NW | X | | | | | | | | X |
| Lamberton | CSAH 106 | 6th Ave East | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 6th Ave East | SW | X | | | | | | | | |
| Lamberton | CSAH 106 | 6th Ave East | SE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 5th Ave East | NW | X | | | | | | | | X |
| Lamberton | CSAH 106 | 5th Ave East | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 5th Ave East | SW | | | | X | | SW West Only | | | |
| Lamberton | CSAH 106 | 5th Ave East | SE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 4th Ave East | NW | X | | | | | | | | |
| Lamberton | CSAH 106 | 4th Ave East | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 4th Ave East | SW | X | | | | | | | | |
| Lamberton | CSAH 106 | 4th Ave East | SE | X | | | | | | | | |
| Lamberton | CSAH 106 | 3rd Ave East | NW | X | | | | | SW West Only | | | |
| Lamberton | CSAH 106 | 3rd Ave East | NE | X | | | | | SW East Only | | | |
| Lamberton | CSAH 106 | 3rd Ave East | SW | X | | | | | SW West Only | | | |
| Lamberton | CSAH 106 | 3rd Ave East | SE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 2nd Ave East | NW | X | | | | | SW West Only | | | |
| Lamberton | CSAH 106 | 2nd Ave East | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 2nd Ave East | SW | X | | | | | SW West Only | | | |
| Lamberton | CSAH 106 | 2nd Ave East | SE | X | | | | | SW East Only | | | |
| Lamberton | CSAH 106 | 1st Ave East | NW | X | | | | | | | | X |
| Lamberton | CSAH 106 | 1st Ave East | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | 1st Ave East | SW | | | X | | | SW West Only | | | |
| Lamberton | CSAH 106 | 1st Ave East | SE | X | | | | | | | X | |
| Lamberton | CSAH 106 | Main St | NW | | | | | | | | X | |
| Lamberton | CSAH 106 | Main St | NE | | | | X | | | | | |
| Lamberton | CSAH 106 | Main St | SW | | | | X | | | | | |
| Lamberton | CSAH 106 | Main St | SE | | | | X | | | | | |
| Lamberton | CSAH 106 | South Douglas St | NW | X | | | | | | | | X |
| Lamberton | CSAH 106 | South Douglas St | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | South Douglas St | SW | | | | X | | | | | |
| Lamberton | CSAH 106 | South Douglas St | SE | | | | X | | SW West Only | | | |
| Lamberton | CSAH 106 | South Elm St | NW | X | | | | | | | | X |
| Lamberton | CSAH 106 | South Elm St | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | South Elm St | SW | | | | X | | | | | |
| Lamberton | CSAH 106 | South Elm St | SE | | | | X | | | | | |
| Lamberton | CSAH 106 | South Fir St | NW | X | | | | | | | | X |
| Lamberton | CSAH 106 | South Fir St | NE | X | | | | | | | | X |
| Lamberton | CSAH 106 | South Fir St | SW | | | | X | | | | | |
| Lamberton | CSAH 106 | South Fir St | SE | | | | | | SW East Only | | X | |
| Wabasso | CSAH 115 | Perry St | NW | X | | | | | | | | X |
| Wabasso | CSAH 115 | Perry St | NE | X | | | | | | | | X |
| Wabasso | CSAH 115 | Perry St | SW | X | | | | | | | | X |

| | | | | Deficiency | | | | | | | |
|--------------|--------------|------------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|---------------|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | |
| Wabasso | CSAH 115 | Perry St | SE | X | | | | | | | X |
| Wabasso | CSAH 115 | Barr St | NW | X | | | | | | | X |
| Wabasso | CSAH 115 | Barr St | NE | X | | | | | | | X |
| Wabasso | CSAH 115 | Barr St | SW | X | | | | | | | X |
| Wabasso | CSAH 115 | Barr St | SE | X | | | | | | | X |
| Wabasso | CSAH 115 | Front St | NW | X | | | | | | | X |
| Wabasso | CSAH 115 | Front St | NE | | | X | | | SW East Only | | |
| Wabasso | CSAH 115 | Front St | SW | X | | | | | | | X |
| Wabasso | CSAH 115 | Front St | SE | X | | | | | SW East Only | | |
| Wabasso | CSAH 115 | Oak St | NW | | | X | | | | | |
| Wabasso | CSAH 115 | Oak St | NE | | | X | | | | | |
| Wabasso | CSAH 115 | Oak St | SW | | | X | | | | | |
| Wabasso | CSAH 115 | Oak St | SE | | | X | | | | | |
| Wabasso | CSAH 115 | Cedar St | NW | | | X | | | | | |
| Wabasso | CSAH 115 | Cedar St | NE | | | X | | | | | |
| Wabasso | CSAH 115 | Cedar St | SW | X | | | | | | | |
| Wabasso | CSAH 115 | Cedar St | SE | | | X | | | | | |
| Wabasso | CSAH 115 | Pine St | NW | X | | | | | | | |
| Wabasso | CSAH 115 | Pine St | NE | X | | | | | | | |
| Wabasso | CSAH 115 | Pine St | SW | X | | | | | | | |
| Wabasso | CSAH 115 | Pine St | SE | X | | | | | | | |
| Wabasso | CSAH 115 | Maple St | NW | X | | | | | | | X |
| Wabasso | CSAH 115 | Maple St | NE | X | | | | | | | X |
| Wabasso | CSAH 115 | Maple St | SW | X | | | | | SW West Only | | |
| Wabasso | CSAH 115 | Maple St | SE | X | | | | | | | X |
| Wabasso | CSAH 115 | CSAH 6 | NW | X | | | | | | | X |
| Wabasso | CSAH 115 | CSAH 6 | NE | X | | | | | | | X |
| Wabasso | CSAH 115 | CSAH 6 | SW | X | | | | | | | X |
| Wabasso | CSAH 115 | CSAH 6 | SE | X | | | | | | | X |
| Wabasso | CSAH 6 | South St | NW | X | | | | | | | X |
| Wabasso | CSAH 6 | South St | NE | X | | | | | | | X |
| Wabasso | CSAH 6 | South St | SW | X | | | | | | | X |
| Wabasso | CSAH 6 | South St | SE | X | | | | | | | X |
| Wabasso | CSAH 6 | North St | NW | X | | | | | C&G West Only | | X |
| Wabasso | CSAH 6 | North St | NE | X | | | | | C&G East Only | | X |
| Wabasso | CSAH 6 | North St | SW | X | | | | | | | X |
| Wabasso | CSAH 6 | North St | SE | X | | | | | | | X |
| Wabasso | CSAH 6 | Dewey St | NW | X | | | | | C&G West Only | | X |
| Wabasso | CSAH 6 | Dewey St | NE | X | | | | | No C&G | | X |
| Wabasso | CSAH 6 | Dewey St | SW | X | | | | | C&G West Only | | X |
| Wabasso | CSAH 6 | Dewey St | SE | X | | | | | No C&G | | X |
| Wabasso | CSAH 6 | May St | NW | X | | | | | C&G West Only | | X |
| Wabasso | CSAH 6 | May St | NE | X | | | | | No C&G | | X |
| Wabasso | CSAH 6 | May St | SW | X | | | | | C&G West Only | | X |
| Wabasso | CSAH 6 | May St | SE | X | | | | | No C&G | | X |
| Milroy | CSAH 32 | Prospect St | NW | X | | | | | No C&G | | X |
| Milroy | CSAH 32 | Prospect St | NE | X | | | | | No C&G | | X |
| Milroy | CSAH 32 | Prospect St | SW | X | | | | | No C&G | | X |
| Milroy | CSAH 32 | Prospect St | SE | X | | | | | No C&G | | X |
| Walnut Grove | CSAH 5 | North Boarder St | NW | X | | | | | No C&G | | X |

| | | | | Deficiency | | | | | | | | |
|--------------|--------------|------------------|----------|--------------|-----------------|--------------------|------------------------|--------------------|----------------------|---|--------------------|-------------|
| City | Major Street | Minor Street | Quadrant | No Curb Ramp | Drainage Issues | No Truncated Domes | Slope greater than max | Crack/Joint Issues | Other Issues | | Meets Requirements | No Sidewalk |
| | | | | | | | | | | | | |
| Walnut Grove | CSAH 5 | North Boarder St | NE | X | | | | | No C&G | | | X |
| Walnut Grove | CSAH 5 | North Boarder St | SW | X | | | | | No C&G | | | X |
| Walnut Grove | CSAH 5 | North Boarder St | SE | X | | | | | No C&G | | | X |
| Walnut Grove | CSAH 5 | Dewey St | NW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Dewey St | NE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Dewey St | SW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Dewey St | SE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | CSAH 20 | NW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | CSAH 20 | NE | X | | | | | C&G North Only | | | |
| Walnut Grove | CSAH 5 | CSAH 20 | SW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | CSAH 20 | SE | | | | | | SW East Only | X | | |
| Walnut Grove | CSAH 5 | Main St | NW | | | | | X | | | | |
| Walnut Grove | CSAH 5 | Main St | NE | | | | | | | | X | |
| Walnut Grove | CSAH 5 | Main St | SW | | | | | | | | | |
| Walnut Grove | CSAH 5 | Main St | SE | | | | | X | | | X | |
| Walnut Grove | CSAH 5 | Bedal St | NW | | | X | | | | | | |
| Walnut Grove | CSAH 5 | Bedal St | NE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Bedal St | SW | | | X | | | | | | |
| Walnut Grove | CSAH 5 | Bedal St | SE | | | X | | | | | | |
| Walnut Grove | CSAH 5 | Washington St | NW | | | | | | | | X | |
| Walnut Grove | CSAH 5 | Washington St | NE | | | | | | | | X | |
| Walnut Grove | CSAH 5 | Washington St | SW | X | | | | | SW South Only | | | |
| Walnut Grove | CSAH 5 | Washington St | SE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Lee St | NW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Lee St | NE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Lee St | SW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Lee St | SE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Clark St | NW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Clark St | NE | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Clark St | SW | X | | | | | | | | X |
| Walnut Grove | CSAH 5 | Clark St | SE | X | | | | | | | | X |
| Walnut Grove | CSAH 105 | 7th St | NW | | | | X | | | | | |
| Walnut Grove | CSAH 105 | 7th St | NE | | | | | | | | X | |
| Walnut Grove | CSAH 105 | 7th St | SW | | | | | | | | X | |
| Walnut Grove | CSAH 105 | 7th St | SE | | | | X | | | | | |
| Walnut Grove | CSAH 105 | 6th St | NW | | | | | | | | X | |
| Walnut Grove | CSAH 105 | 6th St | NE | | | | | | | | X | |
| Walnut Grove | CSAH 105 | 6th St | SW | | | | | | | | X | |
| Walnut Grove | CSAH 105 | 6th St | SE | | | | X | | Slope too Flat | | | |
| Walnut Grove | CSAH 105 | South of Tracks | NW | | | | | | Landing On RR Tracks | | | |
| Walnut Grove | CSAH 105 | South of Tracks | NE | X | | | | | | | | |
| Walnut Grove | CSAH 105 | South of Tracks | SW | | | | X | | SW South Only | | | |
| Walnut Grove | CSAH 105 | South of Tracks | SE | X | | | | | | | | X |
| Walnut Grove | CSAH 20 | 9th St | NW | X | | | | | | | | X |
| Walnut Grove | CSAH 20 | 9th St | NE | X | | | | | | | | X |
| Walnut Grove | CSAH 20 | 9th St | SW | X | | | | | | | | X |
| Walnut Grove | CSAH 20 | 9th St | SE | X | | | | | | | | X |
| 544 | | | | 434 | 0 | 67 | 25 | 2 | | | 12 | 340 |