

Anthony Sellner, P.E.
Redwood County Engineer
1820 East Bridge Street /P.O. Box 6
Redwood Falls, MN 56283
Phone: (507) 637-4056 Fax: (507) 637-4068



ADA Transition Plan

Redwood County Highway Department

October 18, 2022

Paula Olson
Accountant
Paula_o@co.redwood.mn.us

Robin Kokesch
Administrative Assistant
Robin_k@co.redwood.mn.us

The Americans with Disabilities Act (ADA), enacted July 26, 1990, is a civil rights law prohibiting discrimination against individuals on the basis of disability. ADA consists of five titles, outlining protections in the following areas:

1. Employment
2. Miscellaneous Provisions
3. Public Accommodations
4. State and Local Government Services
5. Telecommunications

Redwood County must meet these general requirements for individuals with disabilities:

1. Access to all public programs and places
2. Modification of policies that deny equal access
3. Effective communication procedures
4. An ADA Coordinator that coordinates ADA compliance
5. Public notice of ADA requirements
6. Grievance procedure for resolution of complaints

As required by Title II of ADA, 28 CFR, Part 35, Section 35.105 and Section 35.150, Redwood County has developed the following ADA Transition Plan for its county roads, bridges and right-of-way. This transition plan details how Redwood County will work to ensure all its county roads, bridges and right-of-ways are accessible to all individuals. The plan contained herein relates only to the County's roads, bridges, and right-of-ways and does not include other County programs, practices, or building facilities not related to public rights of way. As such, when this document makes reference to "County owned facilities" or "County programs, services, and activities" it shall only apply to the County's roads, bridges, and right-of-ways.

A systematic approach to providing accessibility will be taken in order to responsibly complete reconstruction of public facilities within County road right-of-way in order to comply with ADA requirements. The County will make all reasonable modifications to policies and programs to ensure that people with disabilities have an equal opportunity to enjoy all of its' programs, services and activities. ADA does not require the County to take any action that would fundamentally alter the nature of its programs or services, or impose an undue financial or administrative burden. Redwood County's goal is to provide ADA accessible pedestrian design features as part of the County's road and bridge reconstruction projects.

1. The Redwood County Highway Department has identified physical obstacles in its facilities that limit the accessibility of its programs or activities to individuals with disabilities. In 2017 the Highway Department conducted a self-evaluation and surveyed all of all of its' 544 intersection quadrants and pedestrian ramps within population centers and which could contain pedestrian facilities. At that time the Highway Department noted 528 quadrants that either did not have pedestrian facilities or were non-compliant, including not having a curb ramp, drainage issues, missing truncated domes, out of tolerance slope, cracked joints or disconnected sidewalk. From 2017 to 2022, the Highway Department has made improvements to 112 intersection quadrants and thousands of lineal feet of sidewalks, improving 20% of all facilities.

2. The Redwood County Highway Department will continue to reconstruct out of compliance curb ramps and pedestrian facilities within its right-of-way during future, programmed road and bridge reconstruction projects. ADA improvements on any County road rehabilitation or resurfacing project will be addressed on a case-by-case basis. ADA improvements requested by the public will be evaluated by County staff. Evaluation criteria will include pedestrian volumes, traffic volumes, condition of existing infrastructure, public safety and available funding.

Redwood County intends to construct or upgrade curb ramps, sidewalks and trails to achieve compliance. There may be limitations which make it technically infeasible for a facility to achieve full accessibility within the scope of any project. Those limitations will be noted and the facility will remain on the transition plan. As future reconstruction projects or funding opportunities arise, those facilities will continue to be incorporated into future work. Regardless of whether full compliance can be achieved or not, each facility shall be made as compliant as possible to industry standards in accordance with the professional judgement of County staff.

Financing of the pedestrian facility reconstruction will be through local funds, State Aid construction funding, federal funding, and through local City and Tribal partners per existing maintenance and construction agreements, or future agreements if new terms are agreed upon at a later date.

The timing and schedule of future reconstruction projects is outlined in the current Redwood County Highway Department Five Year Plan. The Five Year Plan is updated regularly and lists the projects the Department intends on completing in the next five years. The plan is intended to be flexible, recognizing road and bridge priorities may shift due to rapid changes in highway and bridge conditions, public input, goals, priorities and budget constraints. County roads identified for reconstruction in the Five Year Plan will be ADA compliant at the completion of the plan. Reconstruction projects completed within the last five years include county road work in the cities of Redwood Falls, Morgan and Clements. After 20 years, Redwood County will be 45 percent compliant, after reconstruction in Belview, Vesta and another community yet to be selected based on age and condition of existing infrastructure. Approximately one municipal county road reconstruction project occurs every five years in Redwood County based on available funding.

3. The Redwood County Highway Engineer is the official responsible for implementation of this plan.

Contact Information:

ADA Title II Coordinator and Public Right of Ways ADA Implementation Coordinator
C/O Redwood County Highway Engineer
Address: 1820 East Bridge Street, Redwood Falls MN 56283
Phone: 507-637-4056
Fax: 507-637-4068
Email: rcdh@co.redwood.mn.us

Cost Information:

Construction costs for upgrading facilities can vary depending on each individual improvement and conditions of each site. Costs can also vary on the type and size of the project the improvements are associated with. The 2022 construction cost for a single typical pedestrian ramp reconstruction is \$4,452, which includes curb and gutter, 6" thick concrete walk, excavation, aggregate base, truncated domes, seeding, fertilizer, erosion control blanket, mobilization and traffic control. The estimated cost to complete all remaining intersection quadrants in Redwood County is \$1,852,021. This cost does not include replacement of non-compliant sidewalks and trails.

Public Outreach:

A Public Hearing to receive public comment on the ADA Transition Plan was held at 8:30 am on October 18, 2022 at the Redwood County Board Meeting in Redwood Falls. Advertisements for the public meeting were published in local papers prior to the meeting and the hearing date was set at the September 20, 2022 Redwood County Board Meeting. The Redwood County Highway Engineer additionally held three County Board workshops on January 19, 2021, April 13, 2021 and on June 15, 2021 and held Public Hearings at four City Councils meetings on May 3, 2021 (Lucan), May 11, 2021 (Belview), June 7, 2021 (Clements) and on June 14, 2021 (Walnut Grove). Advance notice of these seven meetings were published in local papers prior to the meeting dates.

Complaints that a program, service or activity of Redwood County is not accessible to persons with disabilities should be directed to the Redwood County Engineer, or reported online at rhd@co.redwod.mn.us.

Appendices:

Appendix A: Redwood County Public Notice

Appendix B: Redwood County Grievance Procedure under the Americans with Disabilities Act

Appendix C: Redwood County ADA Grievance Form

Appendix D: Self Evaluation - Redwood County Pedestrian Facility ADA Compliance Survey

Appendix A – Redwood County ADA Public Notice

As part of the ADA requirements the County has posted the following notice outlining its ADA requirements:

In accordance with the requirements of Title II of the Americans with Disabilities Act of 1990, Redwood County will not discriminate against qualified individuals with disabilities on the basis of disability in County's services, programs, or activities.

Employment: The County does not discriminate on the basis of disability in its hiring or employment practices and complies with all regulations promulgated by the U.S. Equal Employment Opportunity Commission under Title I of the Americans with Disabilities Act (ADA). The County's Personnel Policy governs employment-related complaints of disability discrimination.

Effective Communication: The County will generally, upon request, provide appropriate aids and services leading to effective communication for qualified persons with disabilities so they can participate equally in the County's programs, services, and activities, including qualified sign language interpreters, documents in Braille, and other ways of making information and communications accessible to people who have speech, hearing, or vision impairments.

Anyone who requires an auxiliary aid or service for effective communication, or a modification of policies or procedures to participate in a County program, service, or activity, should contact the office of ADA Coordinator, as soon as possible but no later than 48 hours before the scheduled event.

The County will not place a surcharge on a particular individual with a disability or any group of individuals with disabilities to cover the cost of providing auxiliary aids/services or reasonable modifications of policy.

Modifications to Policies and Procedures: The County will make all reasonable modifications to policies and programs to ensure that people with disabilities have an equal opportunity to enjoy all County programs, services, and activities.

The ADA does not require the County to take any action that would fundamentally alter the nature of its programs or services, or impose an undue financial or administrative burden.

Appendix B: Redwood County Grievance Procedure under the Americans with Disabilities Act

Prior to filing a grievance the public is strongly encouraged to contact the Redwood County ADA Coordinator to discuss any concerns regarding County facilities. The ADA Coordinator role is designed to provide a point of contact for the public to address concerns.

This Grievance Procedure is established to meet the requirements of the Americans with Disabilities Act of 1990 ("ADA"). It may be used by anyone who wishes to file a complaint alleging discrimination on the basis of disability in the provision of services, activities, programs, or benefits by the Redwood County Highway Department. The County's Personnel Policy governs employment-related complaints of disability discrimination.

The complaint should be in writing and contain information about the alleged discrimination such as name, address, phone number of complainant and location, date, description of the problem and the nature of a remedy sought, if known by the complainant. If the complainant has filed the same complaint or grievance with the United States Department of Justice (DOJ), another federal or state civil rights agency, a court, or others, the name of the agency or court where the complainant filed it and the filing date should be included. Alternative means of filing complaints, such as personal interviews or a tape recording of the complaint, will be made available for persons with disabilities upon request.

The complaint should be submitted by the grievant and/or his/her designee as soon as possible but no later than 60 calendar days after the alleged violation to:

Redwood County ADA Coordinator
C/O Redwood County Highway Engineer
1820 East Bridge Street, Redwood Falls MN 56283
rchd@co.redwood.mn.us
507-637-4056

Within 60 calendar days after receipt of the complaint, the ADA Coordinator or designee will meet with the complainant to discuss the complaint and the possible resolutions. Within 15 calendar days of the meeting, the ADA Coordinator or designee will respond in writing, and where appropriate, in a format accessible to the complainant, such as large print, Braille, or audio tape. The response will explain the position of the Redwood County Highway Department and offer options for substantive resolution of the complaint.

If the response by the ADA Coordinator or designee does not satisfactorily resolve the issue, the complainant and/or his/her designee may appeal the decision within 15 calendar days after receipt of the response to the County Administrator or his/her designee.

Within 60 calendar days after receipt of the appeal, the County Administrator or his/her designee will meet with the complainant to discuss the complaint and possible resolutions. Within 30 calendar days after the meeting, the County Administrator or his/her designee will respond in writing, and, where appropriate, in a format accessible to the complainant, with a final resolution of the complaint.

All written complaints received by the ADA Coordinator or designee, appeals to the County Administrator or designee, and responses from these two offices will be retained by the County in accordance with state and federal law.

Those wishing to file a formal written grievance with Redwood County may do so by one of the following methods:

Internet Submittal: Visit the Redwood County Highway Department's website at: <https://redwoodcounty-mn.us/departments/highway-department/> and click on the link to the ADA Transition Plan, complete the grievance form in Appendix C and email to rchd@co.redwood.mn.us.

In Person Submittal: Contact the County Highway Engineer at 507-637-4056. The staff person will utilize the Internet method above to submit the grievance on behalf of the person filing the grievance.

Paper Submittal: Contact the Redwood County Highway Department at 507-637-4056 or rchd@co.redwood.mn.us to request a paper copy of the county's grievance form, complete the form, and submit it to the ADA Coordinator at 1820 East Bridge Street, Redwood Falls, MN 56283.

If the grievance filed does not concern a Redwood County facility, the County will inform the complainant of the proper agency that has jurisdiction.

Within 60 calendar days of receipt, a Redwood County staff person will conduct an investigation necessary to determine the validity of the alleged violation. As a part of the investigation, the staff person may conduct an engineering study to help determine the County's response. The staff person will take advantage of department resources and use engineering judgment, data collected, and any information submitted by the resident to develop a conclusion. A staff person will be available to meet with the complainant to discuss the matter as a part of the investigation and resolution of the matter. The County will document each resolution of a filed grievance and retain such documentation in accordance with state and federal law.

The County will consider all specific grievances within its particular context or setting. Furthermore, the County will consider many varying circumstances including: 1) the nature of the access to services, programs, or facilities at issue; 2) the specific nature of the disability; 3) the essential eligibility requirements for participation; 4) the health and safety of others; and 5) the degree to which an accommodation would constitute a fundamental alteration to the program, service, or facility, or cause an undue hardship to Redwood County, and 5) available funding.

Accordingly, the resolution by Redwood County of any one grievance does not constitute a precedent upon which the county is bound or upon which other complaining parties may rely.

File Maintenance: The County shall maintain ADA grievance files in accordance with state and federal law. Complaints of Title II violations may also be filed with the DOJ within 180 days of the date of discrimination. In certain situations, cases may be referred to a mediation program sponsored by the Department of Justice (DOJ). The DOJ may bring a lawsuit where it has investigated a matter and has been unable to resolve violations. For more information, contact: U.S. Department of Justice, Civil Rights Division, 950 Pennsylvania Avenue, N.W. Disability Rights Section - NYAV Washington, D.C. 20530 www.ada.gov, (800) 514-0301 (voice – toll free).

Appendix C: Redwood County ADA Grievance Form

Please fill out this form completely. Sign and return to the ADA Coordinator at 1820 East Bridge Street, Redwood Falls MN 56283 or at rchd@co.redwood.mn.us.

Complainant Name: _____

Complainant Signature: _____ Date: _____

Street Address: _____

City, State and Zip Code: _____

Telephone: _____

Person discriminated against (if other than he complainant): _____

Government which you believe has discriminated (Federal, State, County, City): _____

When was the issue discovered/when did the problem occur: _____

Describe the issue in detail, providing the name(s) where possible of the individuals who have been contacted. Add additional pages if necessary: _____

Have prior efforts been made to resolve this complaint through this grievance procedure? Yes / No

If yes, what is the status of the grievance: _____

Has the complaint been filed with another bureau such as the Department of Justice or any other Federal, State or local civil rights agency or court: _____

If yes, agency or court: _____

Contact Person at agency or court: _____

Contact Information of agency: _____

Telephone number of agency: _____

Date Filed: _____

Do you intend to file with another agency or court: Yes / No

If Yes, agency or court: _____

Contact Information of agency: _____

Tennessen Notice:

Redwood County is asking you to provide information which can include private information under the Minnesota Government Data Practices Act. Redwood County is asking for private information to assist in evaluating and respond to accessibility concerns within the County's roads, bridges, or right-of way. You are not legally required to provide the information that Redwood County is requesting, and you may refuse to provide some or all of the information requested. Redwood County may not be able to respond to or evaluate your request if sufficient information is not provided. Access to private information will be limited to individuals whose jobs reasonably require access to this information.

Appendix D: Self Evaluation - Redwood County Pedestrian Facility ADA Compliance Survey

Self-Evaluation: Redwood County Pedestrian Facility ADA Compliance Survey

Last update: January 26, 2017

City	Major Street	Minor Street	Quadrant	Deficiency								
				No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues	Meets Requirements	No Sidewalk	
Redwood Falls	CSAH 101	South Jefferson St	NW	X								X
Redwood Falls	CSAH 101	South Jefferson St	NE	X								X
Redwood Falls	CSAH 101	South Lincoln St	NW	X								X
Redwood Falls	CSAH 101	South Lincoln St	NE	X								X
Redwood Falls	CSAH 101	South Lincoln St	SW	X					No C&G			X
Redwood Falls	CSAH 101	South Lincoln St	SE	X					No C&G			X
Redwood Falls	CSAH 101	South Halvorson St	NW	X								X
Redwood Falls	CSAH 101	South Halvorson St	NE	X								X
Redwood Falls	CSAH 101	South Halvorson St	SW	X								X
Redwood Falls	CSAH 101	South Halvorson St	SE	X								X
Redwood Falls	CSAH 101	Southwaite Ct	NW	X								X
Redwood Falls	CSAH 101	Southwaite Ct	NE	X								X
Redwood Falls	CSAH 101	South Gould St	NW	X								X
Redwood Falls	CSAH 101	South Gould St	NE	X								X
Redwood Falls	CSAH 101	South Gould St	SW	X					No C&G			X
Redwood Falls	CSAH 101	South Gould St	SE	X					No C&G			X
Redwood Falls	CSAH 101	Sunrise Blvd	NW	X					No C&G			X
Redwood Falls	CSAH 101	Sunrise Blvd	NE	X					No C&G			X
Redwood Falls	CSAH 101	Sunrise Blvd	SW	X					No C&G			X
Redwood Falls	CSAH 101	Sunrise Blvd	SE	X					No C&G			X
Redwood Falls	CSAH 101	Covington Dr	NW	X					Sidewalk on Bridge			
Redwood Falls	CSAH 101	Covington Dr	NE	X					No C&G			X
Redwood Falls	CSAH 101	Covington Dr	SW	X					No C&G			X
Redwood Falls	CSAH 101	Covington Dr	SE	X					No C&G			X
Redwood Falls	CSAH 101	East Meadow Ln	NW	X					No C&G			X
Redwood Falls	CSAH 101	East Meadow Ln	NE	X					No C&G			X
Redwood Falls	CSAH 101	East Meadow Ln	SW	X					Sidewalk on Bridge			
Redwood Falls	CSAH 101	East Meadow Ln	SE	X					No C&G			X
Redwood Falls	CSAH 101	Cook St	NW	X					No C&G			X
Redwood Falls	CSAH 101	Cook St	NE	X					No C&G			X
Redwood Falls	CSAH 101	Cook St	SW	X					Ped X-ing No C&G			X
Redwood Falls	CSAH 101	Cook St	SE	X					Ped X-ing No C&G			X
Redwood Falls	CSAH 101	Fallwood Dr	NW	X					No C&G			X
Redwood Falls	CSAH 101	Fallwood Dr	NE	X					No C&G			X
Redwood Falls	CSAH 101	Fallwood Dr	SW	X					No C&G			X
Redwood Falls	CSAH 101	Fallwood Dr	SE	X					No C&G			X
Redwood Falls	CSAH 101	East 2nd St	NW	X					No C&G			X
Redwood Falls	CSAH 101	East 2nd St	NE	X					No C&G			X
Redwood Falls	CSAH 101	East 2nd St	SW	X					No C&G			X
Redwood Falls	CSAH 101	East 2nd St	SE	X					No C&G			X
Redwood Falls	CSAH 101	Industrial Dr	NE	X					No C&G			X
Redwood Falls	CSAH 101	Industrial Dr	SE	X					No C&G			X
Redwood Falls	CSAH 101	Northwood Dr	NW						Check slopes TD inplace Trail			
Redwood Falls	CSAH 101	Northwood Dr	NE	X					No C&G			X
Redwood Falls	CSAH 101	Northwood Dr	SW	X					No C&G			X
Redwood Falls	CSAH 101	Northwood Dr	SE	X					No C&G			X
Redwood Falls	CSAH 101	Ponderosa Rd	NE	X					No C&G			X

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Redwood Falls	CSAH 101	Ponderosa Rd	SE	X					No C&G			X
Redwood Falls	CSAH 101	Activaidd Rd	NW						Check slopes TD inplace Trail			
Redwood Falls	CSAH 101	Activaidd Rd	SW						Check slopes TD inplace Trail			
Redwood Falls	CSAH 101	Burr Oak Rd	NE	X					No C&G			X
Redwood Falls	CSAH 101	Burr Oak Rd	SE	X					No C&G			X
Redwood Falls	CSAH 101	Main St South	NW	X					No C&G			X
Redwood Falls	CSAH 101	Main St South	SW	X					No C&G			X
Redwood Falls	CSAH 101	East Front St	NE	X								X
Redwood Falls	CSAH 101	East Front St	SE	X					Bait Shop			X
Redwood Falls	CSAH 101	Main St North	NW	X								X
Redwood Falls	CSAH 101	Main St North	NE	X								X
Redwood Falls	CSAH 101	Woodland Ln	SW	X					No C&G			X
Redwood Falls	CSAH 101	Woodland Ln	SE	X					No C&G			X
Redwood Falls	CSAH 101	Cedarcliff Rd	NW	X					No C&G			X
Redwood Falls	CSAH 101	Cedarcliff Rd	SW	X					No C&G			X
Delhi	CSAH 9	East St	NW	X					No C&G			X
Delhi	CSAH 9	East St	NE	X					No C&G			X
Delhi	CSAH 9	East St	SW	X					No C&G			X
Delhi	CSAH 9	East St	SE	X					No C&G			X
Delhi	CSAH 9	First St	SW	X					No C&G			X
Delhi	CSAH 9	First St	SE	X					No C&G			X
Delhi	CSAH 9	Second St	SW	X					No C&G			X
Delhi	CSAH 9	Second St	SE	X					No C&G			X
Delhi	CSAH 9	CSAH 109	SW	X					No C&G			X
Delhi	CSAH 9	CSAH 109	SE	X					No C&G			X
Delhi	CSAH 9	Fourth St	SW	X					No C&G			X
Delhi	CSAH 9	Fourth St	SE	X					No C&G			X
Delhi	CSAH 9	CSAH 6	NW	X					No C&G			X
Delhi	CSAH 9	CSAH 6	NE	X					No C&G			X
Delhi	CSAH 9	CSAH 6	SW	X					No C&G			X
Delhi	CSAH 9	CSAH 6	SE	X					C&G South only			X
Delhi	CSAH 6	Vanderburg Ave	NE	X								X
Delhi	CSAH 6	Vanderburg Ave	SE	X								X
Delhi	CSAH 109	Vanderburg Ave	NW	X					No C&G			X
Delhi	CSAH 109	Vanderburg Ave	NE	X					No C&G			X
Delhi	CSAH 109	Vanderburg Ave	SW	X					No C&G			X
Delhi	CSAH 109	Vanderburg Ave	SE	X					No C&G			X
Delhi	CSAH 109	Franklin Ave	NW	X					No C&G			X
Delhi	CSAH 109	Franklin Ave	NE	X					No C&G			X
Delhi	CSAH 109	Franklin Ave	SW	X					No C&G			X
Delhi	CSAH 109	Franklin Ave	SE	X					No C&G			X
Belview	CSAH 9	South Second St	NW	X					C&G North			X
Belview	CSAH 9	South Second St	NE	X					C&G North			X
Belview	CSAH 7	CSAH 9	NE	X					No C&G			X
Belview	CSAH 7	CSAH 9	SE	X					No C&G			X
Belview	CSAH 7	Oak Ave	NE	X					No C&G			X
Belview	CSAH 7	Oak Ave	SE	X					No C&G			X
Belview	CSAH 7	Marion Ave	NW	X								X
Belview	CSAH 7	Marion Ave	NE	X								X
Belview	CSAH 7	Marion Ave	SW	X								X

City	Major Street	Minor Street	Quadrant	Deficiency								
				No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues	Meets Requirements	No Sidewalk	
Belview	CSAH 7	Marion Ave	SE	X								X
Belview	CSAH 7	South Olaf St	NW			X						
Belview	CSAH 7	South Olaf St	NE			X						
Belview	CSAH 7	South Olaf St	SW			X						
Belview	CSAH 7	South Olaf St	SE			X						
Belview	CSAH 7	West Second St	NW			X						
Belview	CSAH 7	West Second St	NE			X						
Belview	CSAH 7	West Second St	SW			X			Sidewalk South Only			
Belview	CSAH 7	West Second St	SE	X								
Belview	CSAH 7	Hibbard St	NW			X						
Belview	CSAH 7	Hibbard St	NE			X						
Belview	CSAH 7	Hibbard St	SW			X						
Belview	CSAH 7	Hibbard St	SE			X			Light Pole in Ramp			
Belview	CSAH 7	Elevator Ave	NW			X						
Belview	CSAH 7	Elevator Ave	NE	X								X
Belview	CSAH 7	Elevator Ave	SW			X						
Belview	CSAH 7	Elevator Ave	SE			X						
Vesta	CSAH 10	CSAH 30	NW	X					Sidewalk Short of C&G			
Vesta	CSAH 10	CSAH 30	NE	X					No C&G			
Vesta	CSAH 10	CSAH 30	SW	X								
Vesta	CSAH 10	CSAH 30	SE	X								X
Vesta	CSAH 10	East Front St	NW	X								X
Vesta	CSAH 10	East Front St	SW	X								X
Vesta	CSAH 10	East South St	NW	X					C&G North Only			X
Vesta	CSAH 10	East South St	SW	X					C&G South Only			X
Vesta	CSAH 10	East High St	NW	X					C&G North Only			X
Vesta	CSAH 10	East High St	SW	X					No C&G			
Vesta	CSAH 30	Pine St	NW	X								X
Vesta	CSAH 30	Pine St	NE	X								X
Vesta	CSAH 30	Pine St	SW	X								X
Vesta	CSAH 30	Pine St	SE	X								X
Vesta	CSAH 30	Elm St	NW	X								X
Vesta	CSAH 30	Elm St	NE	X								X
Vesta	CSAH 30	Elm St	SW	X								X
Vesta	CSAH 30	Elm St	SE	X					Sidewalk East			
Vesta	CSAH 30	Broadway St	NW	X					Sidewalk North Only			
Vesta	CSAH 30	Broadway St	NE			X						
Vesta	CSAH 30	Broadway St	SW			X						
Vesta	CSAH 30	Broadway St	SE			X						
Vesta	CSAH 30	Oak St	NW	X								
Vesta	CSAH 30	Oak St	NE			X						
Vesta	CSAH 30	Oak St	SW	X								
Vesta	CSAH 30	Oak St	SE			X						
Vesta	CSAH 30	East St	NW	X					Sidewalk West Only			
Vesta	CSAH 30	East St	NE	X					Sidewalk East Only			
Vesta	CSAH 30	East St	SW	X								
Vesta	CSAH 30	East St	SE	X								X
Morgan	CSAH 2	Second St	NE	X								
Morgan	CSAH 2	Second St	SE	X								X
Morgan	CSAH 2	Third St West	NW	X								

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Morgan	CSAH 2	Third St West	NE	X								
Morgan	CSAH 2	Third St West	SW	X								X
Morgan	CSAH 2	Third St West	SE	X						Sidewalk South Only		
Morgan	CSAH 2	Fourth St West	NE	X						Sidewalk East Only		
Morgan	CSAH 2	Fourth St West	SE	X						Sidewalk South Only		
Morgan	CSAH 2	St Johns St	NW	X								X
Morgan	CSAH 2	St Johns St	NE	X						No C&G		X
Morgan	CSAH 2	St Johns St	SW			X						
Morgan	CSAH 2	St Johns St	SE	X						Sidewalk East Only		
Morgan	CSAH 2	Sherman St West	NW	X								
Morgan	CSAH 2	Sherman St West	NE	X						No C&G		X
Morgan	CSAH 2	Sherman St West	SW	X								
Morgan	CSAH 2	Sherman St West	SE	X						No C&G		X
Morgan	CSAH 2	Reetz St West	NW	X						No C&G		X
Morgan	CSAH 2	Reetz St West	SW	X								
Morgan	CSAH 102	Cleveland Ave South	NW	X								
Morgan	CSAH 102	Cleveland Ave South	NE			X						
Morgan	CSAH 102	Cleveland Ave South	SW			X				Sidewalk South Only		
Morgan	CSAH 102	Cleveland Ave South	SE	X						Sidewalk South Only		
Morgan	CSAH 102	Vernon Ave South	NW	X								
Morgan	CSAH 102	Vernon Ave South	NE			X				Ramp on North SW Only		
Morgan	CSAH 102	Vernon Ave South	SW			X				Sidewalk South Only		
Morgan	CSAH 102	Vernon Ave South	SE			X				CR on South Only		
Morgan	CSAH 102	Bloomington Ave	NW	X								
Morgan	CSAH 102	Bloomington Ave	NE	X								
Morgan	CSAH 102	Bloomington Ave	SW			X				Sidewalk South Only		
Morgan	CSAH 102	Bloomington Ave	SE	X						Sidewalk South Only		
Morgan	CSAH 102	Sommerville Ave	NW			X						
Morgan	CSAH 102	Sommerville Ave	NE			X				Ramp on Corner		
Morgan	CSAH 102	Sommerville Ave	SW			X				Sidewalk South Only		
Morgan	CSAH 102	Sommerville Ave	SE			X				Sidewalk South Only		
Morgan	CSAH 102	Lindsey Ave North	NW	X								X
Morgan	CSAH 102	Lindsey Ave North	NE	X								X
Morgan	CSAH 102	Lindsey Ave North	SW	X						Sidewalk West Only		
Morgan	CSAH 102	Lindsey Ave North	SE	X						Sidewalk East Only		
Morgan	CSAH 102	CSAH 3	NW	X						No C&G		X
Morgan	CSAH 102	CSAH 3	NE	X						No C&G		X
Morgan	CSAH 102	CSAH 3	SW	X						No C&G		X
Morgan	CSAH 102	CSAH 3	SE	X						No C&G		X
Morgan	CSAH 3	Second St East	NW	X						C&G West only		X
Morgan	CSAH 3	Second St East	NE	X						C&G West only		X
Morgan	CSAH 3	Eastwood Ave	SW	X						C&G South Only		X
Morgan	CSAH 3	Eastwood Ave	SE	X						C&G South Only		X
Morgan	CSAH 2	Morgan St	NW	X								X
Morgan	CSAH 2	Morgan St	NE	X								X
Morgan	CSAH 2	Morgan St	SW	X								X
Morgan	CSAH 2	Morgan St	SE	X								X
Morgan	CSAH 2	Adams St	NW	X						SW North and South		
Morgan	CSAH 2	Adams St	NE	X								X
Morgan	CSAH 2	Adams St	SW	X						SW North and South		

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Morgan	CSAH 2	Adams St	SE	X								X
Morgan	CSAH 2	Temple Dr	NE	X					Curb North			X
Morgan	CSAH 2	Temple Dr	SE	X					No C&G			X
Clements	CSAH 16	Ash St	SW	X					C&G South Only			X
Clements	CSAH 16	Ash St	SE	X					C&G South Only			X
Clements	CSAH 16	CSAH 1 West	NW	X					No C&G			X
Clements	CSAH 16	CSAH 1 West	NE	X					No C&G			X
Clements	CSAH 16	CSAH 1 West	SW	X					No C&G			X
Clements	CSAH 16	CSAH 1 West	SE	X					No C&G			X
Clements	CSAH 16	Elm St	SW	X					C&G South Only			
Clements	CSAH 16	Elm St	SE	X					C&G South Only			X
Clements	CSAH 16	CSAH 1 East	SW	X					C&G South Only			X
Clements	CSAH 16	CSAH 1 East	SE	X					C&G South Only			X
Clements	CSAH 16	Oak St	SW	X					C&G South Only			X
Clements	CSAH 16	Oak St	SE	X					C&G South Only			X
Clements	CSAH 1	Third St	NW	X					Sidewalk North Only			
Clements	CSAH 1	Third St	NE	X					Sidewalk East Only			
Clements	CSAH 1	Third St	SW			X			Sidewalk South Only			
Clements	CSAH 1	Third St	SE	X					Sidewalk South Only			
Clements	CSAH 1	Second St	NW	X								
Clements	CSAH 1	Second St	NE	X								
Clements	CSAH 1	Second St	SW			X			Sidewalk South Only			
Clements	CSAH 1	Second St	SE	X								
Clements	CSAH 1	Pine St	NW	X								
Clements	CSAH 1	Pine St	NE	X					Sidewalk North Only			
Clements	CSAH 1	Pine St	SW			X						
Clements	CSAH 1	Pine St	SE			X			Sidewalk South Only			
Clements	CSAH 1	Front St	NW	X								
Clements	CSAH 1	Front St	NE			X						
Clements	CSAH 1	Front St	SW	X					No C&G			X
Clements	CSAH 1	Front St	SE	X					No C&G			X
Clements	CSAH 1	South St	NW	X					No C&G			X
Clements	CSAH 1	South St	NE	X					No C&G			X
Clements	CR 63	Front St	NE	X					No C&G			X
Clements	CR 63	Front St	SE	X					No C&G			X
Clements	CR 63	Second St	NE	X					No C&G			X
Clements	CR 63	Second St	SE	X					No C&G			X
Clements	CR 63	Third St	NE	X					No C&G			X
Clements	CR 63	Third St	SE	X					No C&G			X
Seaforth	CSAH 7	295th St	NW	X					No C&G			X
Seaforth	CSAH 7	295th St	NE	X					No C&G			X
Seaforth	CSAH 7	295th St	SW	X					No C&G			X
Seaforth	CSAH 7	295th St	SE	X					No C&G			X
Seaforth	CSAH 7	CSAH 107	NW	X					No C&G			X
Seaforth	CSAH 7	CSAH 107	NE	X					No C&G			X
Seaforth	CSAH 7	CSAH 107	SW	X					No C&G			X
Seaforth	CSAH 7	CSAH 107	SE	X					No C&G			X
Seaforth	CSAH 7	Elm St	NW	X					No C&G			X
Seaforth	CSAH 7	Elm St	NE	X					No C&G			X
Seaforth	CSAH 7	Elm St	SW	X					No C&G			X

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Seaforth	CSAH 7	Elm St	SE	X					No C&G			X
Seaforth	CSAH 107	Main St	NW	X								
Seaforth	CSAH 107	Main St	NE	X								
Seaforth	CSAH 107	Main St	SW	X								
Seaforth	CSAH 107	Main St	SE	X					No C&G			
Seaforth	CSAH 107	Dewey St	NW	X					C&G and SW West Only			
Seaforth	CSAH 107	Dewey St	NE	X					C&G East Only			
Seaforth	CSAH 107	Dewey St	SW	X					C&G West Only			X
Seaforth	CSAH 107	Dewey St	SE	X					C&G East Only			
Lucan	CSAH 10	250th St	NW	X					No C&G			X
Lucan	CSAH 10	250th St	NE	X					No C&G			X
Lucan	CSAH 10	250th St	SW	X					No C&G			X
Lucan	CSAH 10	250th St	SE	X					No C&G			X
Lucan	CSAH 10	North St	NW	X					C&G North/South Only			X
Lucan	CSAH 10	North St	NE	X					C&G North/South Only			X
Lucan	CSAH 10	North St	SW	X					C&G North/South Only			X
Lucan	CSAH 10	North St	SE	X					C&G North/South Only			X
Lucan	CSAH 10	First St	NW	X					C&G North Only			X
Lucan	CSAH 10	First St	NE	X					C&G North Only			X
Lucan	CSAH 10	First St	SW			X			C&G and SW South Only			
Lucan	CSAH 10	First St	SE			X			C&G and SW South Only			
Lucan	CSAH 10	2nd St	NW			X						
Lucan	CSAH 10	2nd St	NE			X						
Lucan	CSAH 10	2nd St	SW			X						
Lucan	CSAH 10	2nd St	SE			X						
Lucan	CSAH 10	Third St	NW			X			SW North Only			
Lucan	CSAH 10	Third St	NE			X			C&G and SW North Only			
Lucan	CSAH 10	Third St	SW	X								X
Lucan	CSAH 10	Third St	SE	X								X
Lucan	CSAH 10	Fourth St	NW	X								X
Lucan	CSAH 10	Fourth St	NE	X								X
Lucan	CSAH 10	Fourth St	SW	X								X
Lucan	CSAH 10	Fourth St	SE	X								X
Revere	CSAH 127	Cottonwood St	NW	X								X
Revere	CSAH 127	Cottonwood St	NE	X								X
Revere	CSAH 127	Cottonwood St	SW	X								X
Revere	CSAH 127	Cottonwood St	SE	X								X
Revere	CSAH 127	Main St	NW	X					C&G West Only			X
Revere	CSAH 127	Main St	NE	X					C&G East Only			X
Revere	CSAH 127	Main St	SW	X					SW South Only			
Revere	CSAH 127	Main St	SE	X					SW South Only			
Revere	CR 50	Oak St	NW	X					C&G West Only			X
Revere	CR 50	Oak St	NE	X					No C&G			X
Revere	CR 50	Oak St	SW	X					No C&G			X
Revere	CR 50	Oak St	SE	X					No C&G			X
Sanborn	CSAH 115	John St	NW	X					No C&G			X
Sanborn	CSAH 115	John St	NE	X					No C&G			X
Sanborn	CSAH 115	John St	SW	X					C&G South Only			X
Sanborn	CSAH 115	John St	SE	X								X
Sanborn	CSAH 115	Yaeger St	NW	X								X

				Deficiency							
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues	Meets Requirements	No Sidewalk
Sanborn	CSAH 115	Yaeger St	NE	X							X
Sanborn	CSAH 115	Yaeger St	SW	X							X
Sanborn	CSAH 115	Yaeger St	SE	X							X
Sanborn	CSAH 115	Letford St	NW	X							X
Sanborn	CSAH 115	Letford St	NE	X					SW North and South Only		
Sanborn	CSAH 115	Letford St	SW	X							
Sanborn	CSAH 115	Letford St	SE	X					SW North and South Only		
Sanborn	CSAH 15	Public St	NW	X							
Sanborn	CSAH 15	Public St	NE	X					C&G West Only		
Sanborn	CSAH 15	Public St	SW	X					SW Not to Curb		
Sanborn	CSAH 15	Public St	SE	X					No C&G		
Sanborn	CSAH 15	Orchard St	NW	X							
Sanborn	CSAH 15	Orchard St	NE	X							
Sanborn	CSAH 15	Orchard St	SW				X				
Sanborn	CSAH 15	Orchard St	SE				X				
Sanborn	CSAH 15	Hoyt St	NW				X		SW East and West Only		
Sanborn	CSAH 15	Hoyt St	NE				X		SW East and West Only		
Sanborn	CSAH 15	Hoyt St	SW				X		SW East and West Only		
Sanborn	CSAH 15	Hoyt St	SE				X		SW East and West Only		
Sanborn	CSAH 15	CSAH 115	NW			X					
Sanborn	CSAH 15	CSAH 115	NE				X				
Sanborn	CSAH 15	CSAH 115	SW			X					
Sanborn	CSAH 15	CSAH 115	SE			X					
Sanborn	CSAH 15	Dotson St	NW	X							X
Sanborn	CSAH 15	Dotson St	NE	X							X
Sanborn	CSAH 15	Dotson St	SW			X			SW West Only		
Sanborn	CSAH 15	Dotson St	SE			X			SW East Only		
Sanborn	CSAH 15	Park St	NW				X		SW North Only		
Sanborn	CSAH 15	Park St	NE	X							
Sanborn	CSAH 15	Park St	SW			X					
Sanborn	CSAH 15	Park St	SE				X				
Sanborn	CSAH 15	West St	NW				X		SW North Only		
Sanborn	CSAH 15	West St	NE	X							X
Sanborn	CSAH 15	West St	SW				X				
Sanborn	CSAH 15	West St	SE				X		SW East Only		
Sanborn	CSAH 15	Unknown	NW	X							X
Sanborn	CSAH 15	Unknown	NE	X							X
Sanborn	CSAH 15	Unknown	SW	X					SW West Only		
Sanborn	CSAH 15	Unknown	SE	X					SW East Only		
Wanda	CSAH 17	CSAH 117	NW			X			SW West Only		
Wanda	CSAH 17	CSAH 117	NE	X					No C&G		X
Wanda	CSAH 17	CSAH 117	SW			X			SW West Only		
Wanda	CSAH 17	CSAH 117	SE	X					No C&G		X
Wanda	CSAH 117	Oak	NW			X			SW West Only		
Wanda	CSAH 117	Oak	NE			X					
Wanda	CSAH 117	Oak	SW			X					
Wanda	CSAH 117	Oak	SE			X					
Wanda	CSAH 17	South St	NW	X					No C&G		X
Wanda	CSAH 17	South St	NE	X					No C&G		X
Wanda	CSAH 17	South St	SW	X					No C&G		X

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Wanda	CSAH 17	South St	SE	X						No C&G		X
Lamberton	CSAH 6	CSAH 106	NW	X								X
Lamberton	CSAH 6	CSAH 106	NE	X								X
Lamberton	CSAH 6	CSAH 106	SW	X								X
Lamberton	CSAH 6	CSAH 106	SE	X								X
Lamberton	CSAH 6	2nd Ave West	NW	X								X
Lamberton	CSAH 6	2nd Ave West	NE	X								X
Lamberton	CSAH 6	2nd Ave West	SW	X								X
Lamberton	CSAH 6	2nd Ave West	SE	X								X
Lamberton	CSAH 6	3rd Ave West	NW	X								X
Lamberton	CSAH 6	3rd Ave West	NE	X						SW East Only		
Lamberton	CSAH 6	3rd Ave West	SW	X								X
Lamberton	CSAH 6	3rd Ave West	SE	X						SW West Only		
Lamberton	CSAH 6	4th Ave West	NW	X								X
Lamberton	CSAH 6	4th Ave West	NE	X						SW East Only		
Lamberton	CSAH 6	4th Ave West	SW	X								X
Lamberton	CSAH 6	4th Ave West	SE	X						SW East Only		
Lamberton	CSAH 6	5th Ave West	NW	X								X
Lamberton	CSAH 6	5th Ave West	NE	X								X
Lamberton	CSAH 6	5th Ave West	SW	X								X
Lamberton	CSAH 6	5th Ave West	SE	X								X
Lamberton	CSAH 6	6th Ave West	NW	X								X
Lamberton	CSAH 6	6th Ave West	NE	X								X
Lamberton	CSAH 6	6th Ave West	SW	X								X
Lamberton	CSAH 6	6th Ave West	SE	X								X
Lamberton	CSAH 6	CSAH 15	NW	X						C&G North Only		X
Lamberton	CSAH 6	CSAH 15	NE	X								X
Lamberton	CSAH 6	CSAH 15	SW	X						No C&G		X
Lamberton	CSAH 6	CSAH 15	SE	X						No C&G		X
Lamberton	CSAH 15	South Fir St	NW	X								X
Lamberton	CSAH 15	South Fir St	NE	X								X
Lamberton	CSAH 15	South Fir St	SW	X						No C&G		X
Lamberton	CSAH 15	South Fir St	SE	X						No C&G		X
Lamberton	CSAH 15	South Elm St	NW	X						SW Not to Curb		X
Lamberton	CSAH 15	South Elm St	NE	X								X
Lamberton	CSAH 15	South Elm St	SW	X						No C&G		X
Lamberton	CSAH 15	South Elm St	SE	X						No C&G		X
Lamberton	CSAH 15	South Douglas St	NW	X						SW Not to Curb		X
Lamberton	CSAH 15	South Douglas St	NE	X								X
Lamberton	CSAH 15	South Douglas St	SW	X								X
Lamberton	CSAH 15	South Douglas St	SE	X								X
Lamberton	CSAH 15	South Cherry St	NW	X								X
Lamberton	CSAH 15	South Cherry St	NE	X								X
Lamberton	CSAH 15	South Cherry St	SW	X								X
Lamberton	CSAH 15	South Cherry St	SE	X								X
Lamberton	CSAH 15	CSAH 106	NW	X								X
Lamberton	CSAH 15	CSAH 106	NE	X								X
Lamberton	CSAH 15	CSAH 106	SW	X								X
Lamberton	CSAH 15	CSAH 106	SE	X								X
Lamberton	CSAH 106	8th Ave East	NW	X						SW North Only		

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Lamberton	CSAH 106	8th Ave East	NE	X					SW North and South Only			
Lamberton	CSAH 106	8th Ave East	SW	X								X
Lamberton	CSAH 106	8th Ave East	SE	X					SW North and South Only			
Lamberton	CSAH 106	7th Ave East	NW	X								
Lamberton	CSAH 106	7th Ave East	NE	X								X
Lamberton	CSAH 106	7th Ave East	SW	X					SW South Only			
Lamberton	CSAH 106	7th Ave East	SE	X								X
Lamberton	CSAH 106	6th Ave East	NW	X								X
Lamberton	CSAH 106	6th Ave East	NE	X								X
Lamberton	CSAH 106	6th Ave East	SW	X								
Lamberton	CSAH 106	6th Ave East	SE	X								X
Lamberton	CSAH 106	5th Ave East	NW	X								X
Lamberton	CSAH 106	5th Ave East	NE	X								X
Lamberton	CSAH 106	5th Ave East	SW				X		SW West Only			
Lamberton	CSAH 106	5th Ave East	SE	X								X
Lamberton	CSAH 106	4th Ave East	NW	X								
Lamberton	CSAH 106	4th Ave East	NE	X								X
Lamberton	CSAH 106	4th Ave East	SW	X								
Lamberton	CSAH 106	4th Ave East	SE	X								
Lamberton	CSAH 106	3rd Ave East	NW	X					SW West Only			
Lamberton	CSAH 106	3rd Ave East	NE	X					SW East Only			
Lamberton	CSAH 106	3rd Ave East	SW	X					SW West Only			
Lamberton	CSAH 106	3rd Ave East	SE	X								X
Lamberton	CSAH 106	2nd Ave East	NW	X					SW West Only			
Lamberton	CSAH 106	2nd Ave East	NE	X								X
Lamberton	CSAH 106	2nd Ave East	SW	X					SW West Only			
Lamberton	CSAH 106	2nd Ave East	SE	X					SW East Only			
Lamberton	CSAH 106	1st Ave East	NW	X								X
Lamberton	CSAH 106	1st Ave East	NE	X								X
Lamberton	CSAH 106	1st Ave East	SW			X			SW West Only			
Lamberton	CSAH 106	1st Ave East	SE	X							X	
Lamberton	CSAH 106	Main St	NW								X	
Lamberton	CSAH 106	Main St	NE				X					
Lamberton	CSAH 106	Main St	SW				X					
Lamberton	CSAH 106	Main St	SE				X					
Lamberton	CSAH 106	South Douglas St	NW	X								X
Lamberton	CSAH 106	South Douglas St	NE	X								X
Lamberton	CSAH 106	South Douglas St	SW				X					
Lamberton	CSAH 106	South Douglas St	SE				X		SW West Only			
Lamberton	CSAH 106	South Elm St	NW	X								X
Lamberton	CSAH 106	South Elm St	NE	X								X
Lamberton	CSAH 106	South Elm St	SW				X					
Lamberton	CSAH 106	South Elm St	SE				X					
Lamberton	CSAH 106	South Fir St	NW	X								X
Lamberton	CSAH 106	South Fir St	NE	X								X
Lamberton	CSAH 106	South Fir St	SW				X					
Lamberton	CSAH 106	South Fir St	SE						SW East Only		X	
Wabasso	CSAH 115	Perry St	NW	X								X
Wabasso	CSAH 115	Perry St	NE	X								X
Wabasso	CSAH 115	Perry St	SW	X								X

				Deficiency							
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues	Meets Requirements	No Sidewalk
Wabasso	CSAH 115	Perry St	SE	X							X
Wabasso	CSAH 115	Barr St	NW	X							X
Wabasso	CSAH 115	Barr St	NE	X							X
Wabasso	CSAH 115	Barr St	SW	X							X
Wabasso	CSAH 115	Barr St	SE	X							X
Wabasso	CSAH 115	Front St	NW	X							X
Wabasso	CSAH 115	Front St	NE			X			SW East Only		
Wabasso	CSAH 115	Front St	SW	X							X
Wabasso	CSAH 115	Front St	SE	X					SW East Only		
Wabasso	CSAH 115	Oak St	NW			X					
Wabasso	CSAH 115	Oak St	NE			X					
Wabasso	CSAH 115	Oak St	SW			X					
Wabasso	CSAH 115	Oak St	SE			X					
Wabasso	CSAH 115	Cedar St	NW			X					
Wabasso	CSAH 115	Cedar St	NE			X					
Wabasso	CSAH 115	Cedar St	SW	X							
Wabasso	CSAH 115	Cedar St	SE			X					
Wabasso	CSAH 115	Pine St	NW	X							
Wabasso	CSAH 115	Pine St	NE	X							
Wabasso	CSAH 115	Pine St	SW	X							
Wabasso	CSAH 115	Pine St	SE	X							
Wabasso	CSAH 115	Maple St	NW	X							X
Wabasso	CSAH 115	Maple St	NE	X							X
Wabasso	CSAH 115	Maple St	SW	X					SW West Only		
Wabasso	CSAH 115	Maple St	SE	X							X
Wabasso	CSAH 115	CSAH 6	NW	X							X
Wabasso	CSAH 115	CSAH 6	NE	X							X
Wabasso	CSAH 115	CSAH 6	SW	X							X
Wabasso	CSAH 115	CSAH 6	SE	X							X
Wabasso	CSAH 6	South St	NW	X							X
Wabasso	CSAH 6	South St	NE	X							X
Wabasso	CSAH 6	South St	SW	X							X
Wabasso	CSAH 6	South St	SE	X							X
Wabasso	CSAH 6	North St	NW	X					C&G West Only		X
Wabasso	CSAH 6	North St	NE	X					C&G East Only		X
Wabasso	CSAH 6	North St	SW	X							X
Wabasso	CSAH 6	North St	SE	X							X
Wabasso	CSAH 6	Dewey St	NW	X					C&G West Only		X
Wabasso	CSAH 6	Dewey St	NE	X					No C&G		X
Wabasso	CSAH 6	Dewey St	SW	X					C&G West Only		X
Wabasso	CSAH 6	Dewey St	SE	X					No C&G		X
Wabasso	CSAH 6	May St	NW	X					C&G West Only		X
Wabasso	CSAH 6	May St	NE	X					No C&G		X
Wabasso	CSAH 6	May St	SW	X					C&G West Only		X
Wabasso	CSAH 6	May St	SE	X					No C&G		X
Milroy	CSAH 32	Prospect St	NW	X					No C&G		X
Milroy	CSAH 32	Prospect St	NE	X					No C&G		X
Milroy	CSAH 32	Prospect St	SW	X					No C&G		X
Milroy	CSAH 32	Prospect St	SE	X					No C&G		X
Walnut Grove	CSAH 5	North Boarder St	NW	X					No C&G		X

				Deficiency								
City	Major Street	Minor Street	Quadrant	No Curb Ramp	Drainage Issues	No Truncated Domes	Slope greater than max	Crack/Joint Issues	Other Issues		Meets Requirements	No Sidewalk
Walnut Grove	CSAH 5	North Boarder St	NE	X					No C&G			X
Walnut Grove	CSAH 5	North Boarder St	SW	X					No C&G			X
Walnut Grove	CSAH 5	North Boarder St	SE	X					No C&G			X
Walnut Grove	CSAH 5	Dewey St	NW	X								X
Walnut Grove	CSAH 5	Dewey St	NE	X								X
Walnut Grove	CSAH 5	Dewey St	SW	X								X
Walnut Grove	CSAH 5	Dewey St	SE	X								X
Walnut Grove	CSAH 5	CSAH 20	NW	X								X
Walnut Grove	CSAH 5	CSAH 20	NE	X					C&G North Only			
Walnut Grove	CSAH 5	CSAH 20	SW	X								X
Walnut Grove	CSAH 5	CSAH 20	SE						SW East Only	X		
Walnut Grove	CSAH 5	Main St	NW					X				
Walnut Grove	CSAH 5	Main St	NE								X	
Walnut Grove	CSAH 5	Main St	SW									
Walnut Grove	CSAH 5	Main St	SE					X			X	
Walnut Grove	CSAH 5	Bedal St	NW			X						
Walnut Grove	CSAH 5	Bedal St	NE	X								X
Walnut Grove	CSAH 5	Bedal St	SW			X						
Walnut Grove	CSAH 5	Bedal St	SE			X						
Walnut Grove	CSAH 5	Washington St	NW								X	
Walnut Grove	CSAH 5	Washington St	NE								X	
Walnut Grove	CSAH 5	Washington St	SW	X					SW South Only			
Walnut Grove	CSAH 5	Washington St	SE	X								X
Walnut Grove	CSAH 5	Lee St	NW	X								X
Walnut Grove	CSAH 5	Lee St	NE	X								X
Walnut Grove	CSAH 5	Lee St	SW	X								X
Walnut Grove	CSAH 5	Lee St	SE	X								X
Walnut Grove	CSAH 5	Clark St	NW	X								X
Walnut Grove	CSAH 5	Clark St	NE	X								X
Walnut Grove	CSAH 5	Clark St	SW	X								X
Walnut Grove	CSAH 5	Clark St	SE	X								X
Walnut Grove	CSAH 105	7th St	NW				X					
Walnut Grove	CSAH 105	7th St	NE								X	
Walnut Grove	CSAH 105	7th St	SW								X	
Walnut Grove	CSAH 105	7th St	SE				X					
Walnut Grove	CSAH 105	6th St	NW								X	
Walnut Grove	CSAH 105	6th St	NE								X	
Walnut Grove	CSAH 105	6th St	SW								X	
Walnut Grove	CSAH 105	6th St	SE				X		Slope too Flat			
Walnut Grove	CSAH 105	South of Tracks	NW						Landing On RR Tracks			
Walnut Grove	CSAH 105	South of Tracks	NE	X								
Walnut Grove	CSAH 105	South of Tracks	SW				X		SW South Only			
Walnut Grove	CSAH 105	South of Tracks	SE	X								X
Walnut Grove	CSAH 20	9th St	NW	X								X
Walnut Grove	CSAH 20	9th St	NE	X								X
Walnut Grove	CSAH 20	9th St	SW	X								X
Walnut Grove	CSAH 20	9th St	SE	X								X
544				434	0	67	25	2			12	340